



SPORTS EQUIPMENT PRODUCT CATALOG

DRIVE NATION SPORTS
FORT WORTH, TEXAS



WWW.PERISPORTS.COM





WWW.PERFSPOORTS.COM





ENGINEERED QUALITY AND SUPERIOR MANUFACTURING FOR YOUR ARCHITECTURAL SHOWCASE

For over eighty-five years, PSS has been supplying the architectural community with superior athletic equipment focused quality and customer satisfaction. Our innovative approach to gymnasium construction and design layout functionality provide designers unequalled options and solutions to accommodate the varying needs of sports facilities. Our philosophy of "going the extra mile" ensures our products surpass the expectations set by other sports equipment manufacturers and solidifies our position as a supplier of choice for athletic arenas today.

Our staff of engineers is dedicated to new product development, innovation, and continuous improvements, while making safety foremost in our product designs. We partner with local distributors to maintain high levels of customer contact, availability, and personal service and support. All of our dealers are product certified and required to use factory certified installers.

ORANGE ZONE FACTORY CERTIFIED MAINTENANCE PROGRAM:

PSS and our group of Local Dealers have teamed together to provide our customers an unequalled maintenance and service program. Dealers and their installers are trained and certified in the process of evaluating equipment conditions to identify any issues that may be of concern to the user. This service can be a one-time offering or a yearly contract can be negotiated. The Orange Zone program ensures your investment is maintained to perform at the highest safety levels for the protection of users and personnel and to provide years of worry free play. In addition, we have a corporate commitment to source products that are friendly to the environment and we manufacture products using reclaimed material when available.




WWW.PERFSports.COM



TABLE OF CONTENTS

CEILING-HUNG AND WALL-MOUNTED BASKETBALL BACKSTOPS	8 - 10
CONDENS BACKBOARDS, RIMS & PADDING	11 - 13
GYMNASIUM ACCESSORIES	14 - 15
MAT CARRIER SYSTEMS AND INDOOR SPORT CAGES	16 - 17
DIVIDER CURTAINS	18 - 20
TOTAL SYSTEM CONTROL	21
WALL PADS	22 - 23
CEILING-HUNG FOOTBALL GOALPOSTS & P.E. EQUIPMENT	24
PORTABLE BASKETBALL BACKSTOPS	25
VOLLEYBALL SYSTEMS AND ACCESSORIES	26 - 29
BLEACHERS, BENCHES & SITE AMENITIES	30
FIELD SPORTS EQUIPMENT	31
PLAYGROUND & OUTDOOR BASKETBALL EQUIPMENT	31
Browse our complete sports equipment product line at WWW.PERFSports.COM	



CUSTOM BASKETBALL BACKSTOPS

ADJUSTABLE MAST HANGER
Engineered hangers designed for strength and safety at critical attachment points provide unequalled performance and reliability.

CHANNEL SUPPORT
4" structural steel top spreader supports our welded frames design allowing the weight of the backstop to assist with the locking of the brace.

OFFSET DESIGN
Our vertical support mast has an offset design allowing the weight of the backstop to assist with the locking of the brace.

FULLY WELDED FRAME
All single post designs under 31' incorporate a 6 5/8" diameter vertical support mast with fully welded frame for maximum rigidity. The mast is stabilized by rectangular tube side sway braces welded to the support channel and the mast. The sways are precision cut to match up perfectly to the vertical mast and horizontal top channel.

DIRECT GOAL ATTACHMENT
All designs incorporate a direct goal mount feature to distribute all stress or load on the goal directly to the vertical support mast. Basketball backstops utilizing this feature are backed by a lifetime backboard warranty.

POWDERCOAT FINISH
All steel has a high quality baked on powdercoat finish. Semi-gloss is our standard color, custom colors available. Colors shown below.

We offer many options to provide each facility designer choices to best meet the needs and requirements of their customer. Our engineers have developed high performance equipment with structural integrity and versatility for all levels of competition.




1. 50% MORE WELD THAN THE COMPETITION
2. 1" WIDE BEARING SURFACE, TWICE AS MUCH AS THE COMPETITION
3. 1/2" DIAMETER NON-ROTATING PIN
4. 7/8" DIAMETER FORGED STEEL THREADED HANGER

TESTED STRUCTURAL DESIGN STRENGTHS: UNEQUALLED STRENGTH AND SAFETY
FIBA Certification - All single post backstops have been tested and approved by FIBA, meeting the requirements of stability and safety • Contract No • NP36-2007

SEISMIC TESTING
Our equipment and hardware design have been approved by the state of California, meeting or exceeding all seismic testing requirements.

OVERHEAD DESIGN HARDWARE
Clean overhead designs are built to accommodate many building conditions, while providing the strength to support the load of the equipment and the stress caused by years of competitive use.



FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that GARED'S CEILING SUSPENDED MODELS 3102, 3103, 3104, 3105, 3106, 3107, 3108, 3109, 3111, 3115 fulfill the Competition Level II standards specified in the latest edition of the Equipment & Venue Approval Programme and PSS is therefore qualified as an OFFICIAL TECHNICAL PARTNER. (CONTRACT NUMBER: P04-2015)

ORANGE ZONE™ SINGLE POST CEILING STRUCTURES PRODUCT GUIDE

MODEL NUMBER	MODELS 3103/3102/3102HD	MODELS 3105/3104/3104HD	MODELS 3107/3106/3106HD	MODELS 3109/3108/3108HD	MODEL S 3111/3110/3110HD
STRUCTURE					
DESIGN APPLICATION	Best for facilities with adequate space behind the backboard to brace the structure and no obstructions or clearance issues in front of the structure. This design offers maximum clearance above the court.	Great choice for those facilities with clearance issues over the court that will not allow front fold design, yet offers adequate space behind the backstop to allow rear folding for storage.	Best used in facilities designed without adequate space behind the backstop structure for rear bracing, and with no clearance issues over the court for front bracing to fold forward and up for storage.	This model is the perfect solution for the fieldhouse or gymnasium with large amounts of equipment, and limited space behind the backboard and/or other conditions that don't allow front fold, but still require folding the backstop up to a stored position.	Non-folding design with ceiling brace for those projects not requiring backstops to be moved and will not allow bracing to the wall.
BRACE DIR	REAR BRACED	REAR BRACED	FRONT BRACED	SIDE BRACED	FRONT OR REAR CEILING BRACED
FOLD DIR	FORWARD FOLD	REAR FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE

MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3103	3105	3107	3109	3111
32' MIN	3102/3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD
MAST CONSTRUCTION BY MODEL					
WELDED	3103	3105	3107	3109	3111
CLAMPED	3102, 3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD

MODEL NUMBER	MODELS 3205/3204/3204HD	MODEL 3305	MODEL 3207, 3206, 3206HD	MODEL 3209/3208/3208HD	MODELS 3115/3114/3114HD
STRUCTURE					
DESIGN APPLICATION	A bent single post rear braced rear folding design which reduces the space required behind the backstop for the brace.	A compact design that utilizes a track system to move the backstop forward as it is raised up and back, great for those facilities lacking space for a standard backfold and clearance issues for a standard front fold backstop.	A bent single post front braced forward fold design which reduces the space required in front of the backboard for the brace.	A bent single post side braced side folding design which reduces the space required to the side of the backstop for the brace.	Non-folding backstop design with rear wall brace for those projects not requiring backstops to be moved. Maximum distance from wall to face of backboard is 14'.
BRACE DIR	BENT REAR BRACED	REAR BRACED	BENT FRONT BRACED	BENT SIDE BRACED	REAR CEILING, REAR WALL BRACED
FOLD DIR	REAR FOLD	ROLL FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE

MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3205	3305	3207	3209	3115
32' MIN	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD
MAST CONSTRUCTION BY MODEL					
WELDED	3205	3305	3207	3209	3115
CLAMPED	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD

WHEN CHOOSING THE RIGHT WALL MOUNT FOR YOUR FACILITY, THERE ARE SEVERAL FACTORS TO CONSIDER

INCLUDING: Pre-existing structures or equipment, facility gymnasium space, condition of facility walls and budgetary constraints. Our telescopic, modular design allows installation ease and quick shipping. PSS offers a full line of basketball wall mounts to customize your space for an optimal and safe play environment.



THREE-POINT WALL MOUNT

PSS'S THREE-POINT WALL MOUNT SYSTEM provides the strongest wall mount structure available for facilities with budget constraints • Incorporates direct-goal attachment that transfers the load of heavy play through the backboard to the structure • 5/0 upper safety chains with heavy malleable turnbuckles provide additional support • Telescopic design allows for complete adjustability and ease of installation • Structural wood mounting pads included • Mounting hardware provided by others • Board and goal are not included unless wall mount package is purchased • Not compatible with 60" front mount or rear mount backboards • Height adjuster is optional.

2350 SERIES: THREE POINT STATIONARY WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stationary non-folding unit
- Standard extension length available: 2' - 12'

FOUR-POINT WALL MOUNT SERIES

PSS FOUR-POINT WALL MOUNT SYSTEMS incorporate four point attachment for backboards with 36" x 63" or 20" x 35" mounting centers • 5/0 upper safety chains with heavy malleable turnbuckles provide additional support • Telescopic design allows for complete adjustability and ease of installation • Structural wood mounting pads included • Mounting hardware provided by others • Board and goal are not included unless wall mount package is purchased • Not compatible with 60" front mount backboards • Height adjuster is optional.

2300 SERIES: FOUR-POINT STATIONARY WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stationary non-folding unit
- Offers the ability to mount around any obstructions
- Offers a direct goal attachment when height adjuster is purchased.
- Standard extension length available: 2'-12'
- Custom extension lengths of 13'-16' available - allow 4-6 weeks for delivery.

2400 SERIES: FOUR-POINT FOLD UP WALL MOUNT SERIES


WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stores in fold-up vertical, compact position against wall to prevent interference with other court activities.
- In play position, unit locks into stationary 4 point position.
- Includes manual winch with crank handle; electric hoist and safstop are optional.
- Offers a direct goal attachment when height adjuster is purchased.
- Standard extension length available: 4'-12'.

2500 SERIES: FOUR-POINT SIDE FOLD WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stores in side fold, horizontal position against wall to prevent interference with other court activities.
- In play position, unit locks into stationary four point position.
- Allow 14"-18" between wall mount in stored position and wall, depending on extension length.
- Offers a direct goal attachment when height adjuster is purchased
- Standard extension length available: 4'-12'



At PSS, we love basketball! No one knows basketball better than us. For almost a century, our dedication to the sport keeps us constantly innovating and improving our equipment - for the safety of the players, and to better the game itself. It's no surprise that we have the most comprehensive selection of basketball equipment and accessories in the industry - for every budget, skill level, and play setting! With PSS being the undisputed leader in the design and manufacturer of elite basketball products for over 90 years, you can trust that our basketball backboards, rims, padding, and training aids are the strongest and most dependable on the market today.

VISIT WWW.PERFSports.COM TO VIEW OUR COMPLETE LINE OF 40 BACKBOARDS AND 30 RIM PRODUCTS!

ALUMINUM FRAMED GLASS BACKBOARDS

Exceeding our competitor's aluminum framed board 650 lb pressure breaking point - GARED'S ALUMINUM FRAMED BACKBOARD SERIES is the strongest in the industry and relieves the worries of rusting • In addition, GARED'S elite aluminum OuterLimit Pro backboards have never broken - even under the pressure of two decades of play in NBA arenas • Our aluminum framed line includes regulation and pro level 42" x 72" and 48" x 72" backboards • All backboards meet NCAA, NAIA & NFHS specifications • GARED'S LIMITED LIFETIME & 10 YEAR WARRANTIES cover all aluminum-framed glass backboards.

AFRG42: 42" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD

LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 184 LBS. (84 KGS.) TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

AFRG48: 48" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD

LIMITED LIFETIME WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 203 LBS. (93 KGS.) TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

LXP4200: 42" X 72" REGULATION STEEL FRAMED GLASS BACKBOARD

LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 201 LBS. (98 KGS.) TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

OUR CELEBRATED COLLEGIATE SERIES OF GOALS can be found in almost every facility around the world • Superbly constructed, the 2000+, 2500 & 2500I stand-up to the rigors of power players - making them our most popular line of rims • Each rim features an effective positive lock mechanism duplicating precision fly-back action dunk after dunk • The best-selling 2000+ offers the ease of net installation with its no-tie net attachment • The 2500 & 2500I tube-tie net attachments helps prevent hand injury • Due to their universal backplates, the collegiate goal series seamlessly fits on any size glass backboard.

2000-: COLLEGIATE 2000 BREAKAWAY GOAL WITH NYLON NET

4 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 25 LBS. (12 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

2500: TOURNAMENT BREAKAWAY GOAL WITH NYLON NET

4 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 25 LBS. (12 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



AFRG42



2000+



SAFEGUARD YOUR PLAYERS WITH PRO-MOLD® BOLT-ON BACKBOARD PADDING.

PMCE PRO-MOLD BACKBOARD PADDING offers an unmatched combination of softness to touch, yet durability to last • Better yet, GARED'S padding passes the flexibility test - you can bend it and the corners won't tear unlike our competitors product • With an array of 16 vibrant colors, we cover a component of every institution's school color scheme • Our padding will universally fit any 72" backboard with a 2" channel • Our bolt-on padding's installation is simple with the included durable bolt hardware and sag-resistant center rod • One pad kit protects one backboard, order a pair for a court • Padding meets all FIBA, NCAA, NBA, NFHS & CSPC specifications.

PMCE: GARED PRO-MOLD® BACKBOARD PADDING

10 YEAR LIMITED WARRANTY, WEIGHT: 10 LBS/EACH (5 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP



FIBA
EQUIPMENT
& VENUE

FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that WALL MOUNTED MODELS 2300-9124, 2400-9124, 2500-9124, 2500-1416 fulfill the Competition Level II and WALL MOUNTED MODELS 2300, 2400 AND 2500 fulfill the Competition Level III standards specified in the latest edition of the Equipment & Venue Approval Programme and PSS is therefore qualified as an Official Technical Partner. (Contract Number: P04-2015)

STEEL BACKBOARDS

GARED'S STEEL LINE OF BACKBOARDS are ideal for unsupervised and urban play environments • Steel provides an unyielding foundation for your outdoor system • Although the rebound effect of steel is the least similar to glass, the sturdiness of the material will stand up to the toughest competition • Our line of steel backboards feature every standard shape and size.



1245T

FRONT-MOUNT FAN-SHAPE STEEL BACKBOARDS provides the strongest backboard available for rugged playground use • 12 gauge steel shell with white powdercoat finish and optional screened target and border • Keyhole slots are positioned at 20" vertically by 35" horizontal centers for mounting • Features reinforced mounting points, including 2 safety mount holes, to reduce vibration • Compatible Mounting: Ceiling & Wall Mounted systems, Gooseneck & Straight-Arm Posts • Orange Zone™ Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.

1245: 35" X 54" FRONT-MOUNT FAN-SHAPE STEEL BACKBOARD WITH WHITE POWDERCOAT FINISH

10 YEAR LIMITED WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 83 LBS. (38 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1245T: 35" X 54" FRONT-MOUNT FAN-SHAPE STEEL BACKBOARD WITH ORANGE TARGET

10 YEAR LIMITED WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 83 LBS. (38 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

Our durable **RECTANGULAR STEEL BACKBOARDS** are built strong for rugged playground use • 12 gauge steel shell with white powdercoat finish and optional target and border • Constructed with an integral reinforcing steel channel on reverse side for mounting and increased board support • 20" x 35" mounting centers for attaching board to structure • Capable of direct mounting with integral keyhole slots to permanently attach board to post and allow for goal replacement without removing board • Compatible Mounting: Gooseneck & Straight-Arm Posts • Orange Zone™ Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.

1260: 42" X 60" RECTANGULAR STEEL BACKBOARD WITH WHITE POWDERCOAT FINISH

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 112 LBS. (51 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1260B: 42" X 60" RECTANGULAR STEEL BACKBOARD WITH ORANGE TARGET & BORDER

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 112 LBS. (51 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272: 42" X 72" RECTANGULAR STEEL BACKBOARD WITH WHITE POWDERCOAT FINISH

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 131 LBS. (60 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272B: 42" X 72" RECTANGULAR STEEL BACKBOARD WITH ORANGE TARGET & BORDER

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 131 LBS. (60 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1270: 48" X 72" RECTANGULAR STEEL BACKBOARD WITH WHITE POWDERCOAT FINISH

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 147 LBS. (67 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1270B: 48" X 72" RECTANGULAR STEEL BACKBOARD WITH ORANGE TARGET & BORDER

10 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 147 LBS. (67 KGS.) TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

FAN-SHAPE ALUMINUM BACKBOARDS are the perfect solution for those concerned with backboard longevity • Constructed of casted aluminum, our backboards provide a light-weight alternative for every indoor and playground setting • To help eliminate rim replacement injuries, our backboards feature two additional mounting holes to hold the backboard in place.

FEATURES:

- Front-Mount rim compatible
- 20" x 35" mounting pattern
- 12 reinforced mounting points
- Threaded inserts
- Safety mounting holes
- Natural and powdercoat finishes available

1701: 35 1/2" X 54" FAN-SHAPE ALUMINUM BACKBOARD WITH BRUSHED FINISH

LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS. (23 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP

1750: 35 1/2" X 54" FAN-SHAPE ALUMINUM BACKBOARD WITH WHITE POWDERCOAT FINISH


LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS. (23 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP

1750B: 35 1/2" X 54" FAN-SHAPE BACKBOARD ALUMINUM BACKBOARD WITH ORANGE TARGET AND BORDER

LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS. (23 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP



1272B




1270



1750B



1000



FRONT-MOUNT FIXED GOALS

Understanding the anatomy of a Front-Mount fixed rim is the first step in choosing the correct fit for your needs • A fixed rim is comprised of 4 basic components: ring, bracing, net attachment and back-plate • As you add rings, ring diameter and strengthen bracing, you are building a stronger rim • Most of our **FIXED GOALS** are double-ringed rims, with various levels of bracing • All rims feature universal backplates and ship with an outdoor quality net • While all of our fixed goals feature universal hole patterns, we do not encourage putting fixed rims on glass backboards.

The 240 & 140 **FRONT-MOUNT SUPER GOALS** offer affordable, yet superior playground performance • 18" double rings • 5/8" top ring & 1/2" bottom ring • Dual 1/2" x 15" bracing • No-tie net attachment for installation ease • Includes net & hardware.

240: SUPER GOAL WITH NYLON NET

2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 18 LBS. (9 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

140: SUPER GOAL WITH SCN CHAIN NET

2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 19 LBS. (9 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



39WO

The 39WO & 4039 **INSTITUTIONAL FRONT-MOUNT GOALS** are the best selling, economical, multi-use stationary goals • 18" single ring • 5/8" ring • Single 5/8" x 15" bracing • No-tie net attachment for installation ease • Includes GGN nylon net & hardware.

39WO: INSTITUTIONAL GOAL WITH NYLON NET

1 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 13 LBS. (6 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

4039: HIGH STRENGTH INSTITUTIONAL GOAL WITH NYLON NET

3 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 13 LBS. (6 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



The **NARROW CHANNEL BACKBOARD PADDING** fits rectangular fiberglass, steel and wood backboards • Attaches to bottom of backboards with brushed on adhesive, no bolting required • High-density open cell foam rubber pad • Mitered corners for exact fit • Extends 18" up on each side of a backboard • Meets NCAA and NFHS specifications • For indoor use • Available in grey only.

NCE-PR: NARROW CHANNEL BACKBOARD PADDING

1 YEAR LIMITED WARRANTY, WEIGHT: 14 LBS./PAIR (7 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP



Sporting an accordion-like breakaway action, the **SCHOLASTIC FLEX RIM** is a great alternative to a facility needing an institutional quality breakaway rim without a positive lock mechanism • Superiorly constructed, the **1000 BREAKAWAY FLEX GOAL** fits perfectly in every setting from playground to elementary courts to recreational facilities • The Scholastic rim's no-tie attachment and universal backplate make it the most compatible option for any play situation.

1000: SCHOLASTIC FLEX BREAKAWAY GOAL WITH NYLON NET

2 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 23 LBS. (11 KGS.) GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



240

140



HEIGHT ADJUSTERS

Bring all ages into the game and make your facility user friendly to even the youngest players, giving them the ability to compete at heights that are fair and fun for them • Our height adjusters lower your backboards to any height between 8' and 10' • The goal height indicator is located on the unit for accurate adjustment • All of our height adjusters feature direct goal attachment to transfer any stress and load from the goal to the backstop's structure instead of depending on the backboard for support • Please note, adding PSS's height adjuster to an existing basketball structure may affect the court dimensions.

1130: MANUAL SINGLE POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY, WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1170: ELECTRIC SINGLE POST HEIGHT ADJUSTER SERIES
• 1158 Hardwire kit is required for operation, not included in 1170
2 YEAR LIMITED WARRANTY, WEIGHT: 84 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1140: MANUAL DUAL POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY, WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1180: ELECTRIC DUAL POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY, WEIGHT: 84 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



1179: MANUAL TO ELECTRIC HEIGHT ADJUSTER CONVERSION KIT

Manual height adjusters can be converted to electric by adding a motor kit • This can be done on location.

UNIQUE FEATURE

Spring activated manual locking mechanism is designed to lock the rod in place eliminating any "drifting" of the backboard height on all manual height adjusters • (Patent 8043174)

MANUAL AAG	ELECTRIC AAG	TYPE OF ATTACHMENT
1131	1171	Basic adjust-a-goal (no mounting brackets)
SINGLE POST BACKSTOPS		
1132	1172	Single post adjust-a-goal for 6 5/8" diameter single post for rectangular backboard with 63" x 36" board mounting; includes basic adjust-a-goal and kits 1408 & 4404
1133	1173	Single post adjust-a-goal for 6 5/8" diameter single post for fan-shape backboard with 35" x 20" board mounting; includes basic adjust-a-goal and kits 1408 & 4405
1134	1174	Single post adjust-a-goal for rectangular backboard with 63" x 36" board mounting, single post other than 6 5/8"; includes basic adjust-a-goal and kit 4404. Does not include aag to post mtg • parts • (for custom size posts)
1135	1175	Single post adjust-a-goal for fan-shape backboard with 35" x 20" board mounting, single post other than 6 5/8"; includes basic adjust-a-goal and kit 4405. Does not include aag to post mtg • parts • (for custom size posts)
DUAL POST BACKSTOPS		
1142	1182	Adjust-a-goal for 3 1/2" diameter dual post for rectangular backboard with 63" x 36" board mounting; includes basic adjust-a-goal and kits 3513 & 4404
1143	1183	Adjust-a-goal for 3 1/2" diameter dual post for rectangular backboard with 35" x 20" board mounting; includes basic adjust-a-goal and kits 3513 & 4405
1144	1184	Adjust-a-goal for 2 3/8" diameter dual post for rectangular backboard with 63" x 36" board mounting; includes basic adjust-a-goal and kits 2108 & 4404
1145	1185	Adjust-a-goal for 2 3/8" diameter dual post for rectangular backboard with 35" x 20" board mounting; includes basic adjust-a-goal and kits 2108 & 4405
WALL MOUNTED BACKSTOPS		
1146	1186	Adjust-a-goal for PSS wall mounts for rectangular backboard with 63" x 36" board mounting; includes basic adjust-a-goal and kits 5741 & 4404
1147	1187	Adjust-a-goal for PSS wall mounts for rectangular backboard with 35" x 20" board mounting; includes basic adjust-a-goal and kits 5742 & 4405
NON-STANDARD AND NON-SINGLE POST BACKSTOPS		
1148	1188	Adjust-a-goal for rectangular backboard with 63" x 36" board mounting; non-standard non-single post; includes basic adjust-a-goal and kits 4404
1149	1189	Adjust-a-goal for fan-shape backboard with 35" x 20" board mounting; non-standard non-single post; includes basic adjust-a-goal and kits 4405

THE ELECTRIC HOIST is the most convenient way to raise and lower your gymnasium equipment • Direct drive with no dangerous belts or pulleys • Utilized for ceiling and swing up wall mounted basketball backstops • High-strength metal gears • Hardened steel worm gear is captured to take on radial and thrust loads • Our winch is specified to continuously run at the maximum rated load of 1250 lbs/ 566 kilograms for the motors rated duty cycle of 20 minutes without sustaining any gear damage. Our tests show that metal gears consistently outperform other materials under strenuous conditions, especially plastic • Limit switch makes setting the limits a breeze for installers • Once set properly, the limit switch will not lose its critical settings due to vibration or environmental conditions • Powerful, instantly reversing 3/4 HP motor (UL listed) is governed to stall at 14 amps • Large grooved drum ensures long cable life and proper coiling • Basic cable care ensures a long, safe life • That's why we machine precise grooves in our drum and include a tension roller to guarantee correct cable tracking, even in slack conditions • Positive locking in the double reduction worm gear drive that provides for a strong hold under load • Sealed gear case with precision ball bearings and a premium seal for a lifetime of maintenance-free operation • Supplied with single key switch and stainless steel cover • Electrical contractor shall supply all conduit, wiring, junction boxes and other components not listed above • UL Listed.



1194: ELECTRIC HOIST WITH KEY SWITCH
5 YEAR LIMITED WARRANTY, WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1197: ELECTRIC HOIST WITH WIRELESS REMOTE RECEIVER
5 YEAR LIMITED WARRANTY, WEIGHT: 77 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP




THE MANUAL WINCH is engineered and built for high strength and durability for those facilities on a budget • Heavy-duty capacity for 1,000 lb loads • Grooved drum for accurate winding, with a constant pressure roller preventing the cable from climbing the drum ends • Efficient 40:1 worm gear ratio • Precision thrust bearings provide smooth operation under load • Maintenance-free gear case offers a lifetime of lifting without hassle • Optimized cable routing close to the wall to reduce stress to the winch mounts during use to ensure a long and safe cable life • Supplied with wood buck for mounting to wall and removable handle for operation.

- Precision interlocking steel frame for rigidity and precise alignment
- Semi-enclosed, self lubricating worm gear with load rating of 1000 lbs.
- Grooved drum, for accurate winding, with a constant pressure roller preventing the cable from climbing the drum ends
- Braking is provided by double self-locking worm gearing with a passive uni-directional brake
- Winch is supplied with a cover and mounted directly to the wall

• Winch is supplied with a removable handle with a free turning sleeve that provides an easy, no friction grip.

1123: MANUAL WINCH
5 YEAR LIMITED WARRANTY, WEIGHT: 36 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP




The SAFSTOP SAFETY LOCKING STRAP is the industry standard for overhead gymnasium safety • Protect your facility with a tested product designed to catch a backstop in the slight chance of winch or cable failure • The Safstop Safety Strap is uniquely manufactured using a multi-pawl design with inertia plate to promote safety in your gymnasium • Attaches to a fixed position on your ceiling or wall mounted backstops to prevent the apparatus from falling if the unit should fail • Universal mounting clamp allows for installation parallel or 90 degrees to the backboard • Positive locking steel pawls simultaneously engage the teeth in the all-steel plate housing

1100: SAFSTOP SAFETY LOCKING STRAP
5 YEAR LIMITED WARRANTY, WEIGHT: 20 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

The PORTABLE ELECTRIC WINCH WINDER is the most economic means to power all up fold backstops with manual winches installed • Buy only one portable winch winder and use it for any number of backstops • Features reversing switch enabling the backstop to be raised or lowered without disengaging winder • Geometric right angle drive allows for easy handling • Winch winder has heavy-duty single-phase 115-volt motor.

1119: PORTABLE ELECTRIC WINCH WINDER
1 YEAR LIMITED WARRANTY, WEIGHT: 26 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP






MAT STORAGE & CARRIER SYSTEMS

The traveling MODEL 4095 MAT CARRIER SYSTEM offers all of the same features as our standard system, but with the advantage of mobility • Allows mats to be raised and transported for ceiling level storage or transported to and from balcony or second level storage areas • Optional sling configurations same as stationary model, plus the ability to transport three 14' x 42' mat sections in an oversize single sling • The stationary MODEL 4090/4091 MAT STORAGE SYSTEM easily stores 1 or 2 mats at ceiling level • Optional sling configurations will store one 42' to 45' mat in a single sling, two 42' mats in one large single sling or two 42' mats in two individual slings, stacked either vertically or horizontally • Operated by 2 horsepower, 208/220 volt, 60 cycle, single or three phase or 460/480V/60 HZ. 3-phase instant reverse motors • Features 50-1 industrial C-face inline helical gear speed reducer and a 20 ft./lbs electric brake • Please specify voltage, phase, and sling type.

MAT HOIST MODEL	TYPE OF LOAD BAR	OPTION	MOVEMENT DIRECTION
4090-A	40' Single Load Bar	A	Stationary Mat Hoist
4090WM-A	40' Single Load Bar	A	Stationary Mat Hoist
4090-DS-B	40' Double Load Bar	B	Stationary Mat Hoist
4090WM-DS-B	40' Double Load Bar	B	Stationary Mat Hoist
4090-DS-C	40' Double Load Bar	C	Stationary Mat Hoist
4090-DS-D	40' Double Load Bar	D	Stationary Mat Hoist
4091-DS-E	20' Double Load Bar	E	Stationary Mat Hoist
4096-A	40' Single Load Bar	A	Forward Moving Mat Hoist
4096-DS-B	40' Double Load Bar	B	Forward Moving Mat Hoist
4096-DS-C	40' Double Load Bar	C	Forward Moving Mat Hoist
4096-DS-D	40' Double Load Bar	D	Forward Moving Mat Hoist
4095-DS-E	20' Double Load Bar	E	Forward Moving Mat Hoist
4097-DS-E	14' Double Load Bar	E	Mini Stationary Mat Hoist
4098-A	40' Single Load Bar	A	Side Moving Mat Hoist
4098-DS-B	40' Double Load Bar	B	Side Moving Mat Hoist
4098-DS-C	40' Double Load Bar	C	Side Moving Mat Hoist
4098-DS-D	40' Double Load Bar	D	Side Moving Mat Hoist


MODEL 1109 MAT STORAGE LOCK Safety system to prevent free-fall of mat slings due to cable or hoist gearbox failure • Any sudden surge of speed shall instantly lock and hold the sling in any position.



INDOOR SPORT CAGES

MODEL 4080 MULTI SPORT CAGES are electrically operated practice cages that conveniently suspend from the ceiling structure • Offered in standard sizes listed below, custom sizes are available to fit your facility needs • Drive shaft raises and lowers the system powered by our curtain hoist • Square mesh with Velcro® corners on sidewall to be raised for entry and exit on all multi-sport nets • Standard net color is black • Radius pipe on top of the net is custom.

CAGE MODEL	TYPE OF CAGE	SIZE	NET MODEL	NET SIZE	MESH SIZE	MESH COLOR
4080-70	Multi-Sport	12'H x 12'W x 70'L	4087	12'H x 12'W x 70'L	3/4" Square	Black
4080-55	Multi-Sport	12'H x 12'W x 55'L	4086	12'H x 12'W x 55'L	3/4" Square	Black



MODEL 4080BL BOTTOM LIFT MULTI SPORT CAGES are electrically operated sports cages that suspend from the ceiling • The bottom of the cage netting is automatically lifted to the top frame, eliminating the need to manually drape the net over the frame before lifting • Nylon straps hold the top frame at a preset height above the floor during use • Double cable spools uniformly pull up each side of the lower cage batten frame to within 1'- 9" of the structure.

CAGE MODEL	TYPE OF CAGE	SIZE	NET MODEL	NET SIZE	MESH SIZE	MESH COLOR
4080BL-70	Multi-Sport	12'H x 12'W x 70'L	4087	12'H x 12'W x 70'L	3/4" Square	Black
4080BL-55	Multi-Sport	12'H x 12'W x 55'L	4086	12'H x 12'W x 55'L	3/4" Square	Black



Our MODEL 4075 INDOOR CEILING SUSPENDED THROWING CAGE is a top quality unit for use in facilities where frequent indoor track and field set-up is required • This product meets all USTF and NCAA requirements for indoor throwing cages • The net is constructed of 600lb test (minimum), #72 knotted nylon.

The HAMMER THROW DOOR FRAME SYSTEM is comprised of two vertical frame members hinged at the truss connection point to allow the frames and wing doors to fold as a single unit • Frames are 4" square heavy wall tubing, extended to the floor in the down position to support doors in the proper position for the event • Frames are folded into the stored position by means of 1/8" galvanized aircraft cable on each vertical frame using a 3/4 HP double drum electric hoist • The net is constructed of 600lb test (minimum), #72 knotted nylon.

The REAR CAGE FRAME is constructed of 1.9" O.D. heavy wall tubing featuring a cross spreader spans the perimeter of the cage to maintain a 5' distance required by the NCAA rule • The frame is raised to the overhead storage position by means of six 1/8" galvanized aircraft cables routed through swivel pulleys to a central drive pipe • The drive system is powered by a 3/4 HP electric motor • The net is constructed of 600lb test (minimum), #72 knotted nylon.

4050 CENTER-DRIVE DIVIDER CURTAIN

The **CENTER DRIVE CURTAIN** offers the same great features as our Top Roll Curtain but goes a step further by eliminating the need for large rollers and extensive overhead attachment • Unique design uses internal tubular motors and a counterweight that eliminates the need for costly extension arms with straps connected at the upper structure to resist the torque of the motor.

FEATURES:

- Easy installation and low maintenance.
- Clean design with no belts or cables.
- Offers maximum clearance with a 14" profile.
- Fast operation at 26ft/min.
- Includes internal motor brake.
- No rollers.




4020 FOLD-UP DIVIDER CURTAIN

The **FOLD-UP CURTAIN** provides a cost-effective solution for dividing your gym space.

FEATURES:

- Easy installation.
- 1HP electric operation – key switch, key pad, wireless remote.
- Includes easy-to-adjust independent cast aluminum drums.
- Curtain material is 19 oz or 22 oz vinyl lower section and 9oz upper section.
- Vinyl-coated mesh upper section includes welded seams and fully padded batten with no exposed hardware.
- 2-3/8" diameter centerline continuous drive shaft is designed for even curtain balance and load distribution.
- Optional curtain lock safety device locks drive shaft if speed exceeds 1-1/2" per second.
- Straight or curve design available.



4020-R RADIUS CURTAIN




4040XL TOP-ROLL DIVIDER CURTAIN

The **TOP-ROLL CURTAIN** features a low profile, making it a smart choice for facilities with height clearance issues.

FEATURES:

- Easy installation and minimal maintenance required.
- Clean design with no belts or cables.
- Includes internal motor brake.
- Maximum clearance with a 14" profile.



4030 ROLL-UP DIVIDER CURTAIN

The **ROLL-UP CURTAIN** features the automatic operation of a fold-up curtain with a clean, cable-free design.

FEATURES:

- Curtain rolls on the 3-1/2" diameter bottom batten for a smooth, wrinkle-free surface when rolled and stored.
- Curtain is driven with 4" wide black polyester webbing.
- Provides a compact 24" clearance in stored position.
- Optional curtain lock safety device locks drive shaft if speed exceeds 1-1/2" per second.



4025 PEAK-FOLD DIVIDER CURTAIN

The **PEAK-FOLD CURTAIN'S** unique design allows it to fold to the exact contour of sloped ceilings where creative use of space is required.

FEATURES:

- Equipped with 1/8" cables, spaced not more than 10' apart, ending in individual hoist drums.
- Custom-engineered variable diameter cable drums match individual cable travel to the ceiling slope.
- Hoist driven by 1HP, 115 VAC gear motor with overload thermal protection, single-keyed toggle key switch.
- No exposed hardware.




4013 WALK-DRAW DIVIDER CURTAIN

The **WALK-DRAW CURTAIN** is a track-style curtain that offers an economical option for facilities that do not require electric operation.







FEATURES:

- Easy installation and minimal maintenance required.
- Curtain moves by manual operation across a 1-7/16" wide enclosed galvanized steel track.
- Carriers are spaced no more than 12" apart with 1" diameter polyurethane wheels.
- Can be stored flat against a wall or in small corners of a facility.



Customize your divider with school pride by adding a PSS's customized **GRAPHIC** option.
GRAPHIC: ADD GRAPHICS TO DIVIDER CURTAIN ORDER

ORANGE ZONE™ GYMNASIUM DIVIDER CURTAIN PRODUCT GUIDE

MODEL NUMBER	MODEL 4050	MODEL 4040 XL	MODEL 4020	MODEL 4030	MODEL 4025	MODEL 4013
STRUCTURE						
DESIGN APPLICATION	Great for all facilities and especially for those with limited clearance height over volleyball courts.	Great for all facilities and especially for those with limited clearance height.	Great for all facilities, especially for those not concerned with clearance height issues.	Great for all facilities, especially for those with limited clearance height.	Great for facilities with pitched or sloped roof structure.	Great for facilities with wall space for stacking curtain when opened.
RECOMMENDED HEIGHT:	20' to 40'	15' to 36'	15' to 60'	15' to 30'	3:12 pitch or under	10' to 30'
RECOMMENDED WIDTH:	20' to 120'	20' to 130'	20' to 130'	20' to 120'	40' to 120'	10' to 80'
PLEASE NOTE: MAXIMUM CURTAIN WIDTH AND HEIGHT ARE DETERMINED BY THE WEIGHT OF THE STRUCTURE. ALL CURTAIN DIMENSIONS SHOULD BE SENT TO PSS FOR APPROVAL PRIOR TO SPECIFICATION CONSTRUCTION.						
STORAGE DIMENSION:	14"	13.5"	48" (varies)	36"	48" (varies)	10% of (Curtain width +10%)
AVERAGE RUN SPEED:	36 ft per min	18.4 ft per min	6.9 ft per min	8.3 ft per min	18.1 ft per min	N/A
STORAGE TYPE	Roll Up	Roll Up	Curtain Stack	Roll Up	Curtain Stack	Wall Stack

19 OZ. VINYL COLORS

MARINE	ROYAL	YELLOW	KELLY	ORANGE	NAVY	FOREST	PURPLE
WHITE	BEIGE	BLACK	GREY	RED	BURGUNDY		

9 OZ. MESH COLORS

WHITE	YELLOW	GREEN	RED
BLUE	BLACK	GREY	

22 OZ. VINYL COLORS

ROYAL	GREY	RED

Actual colors may vary slightly from what appears published. Please contact us to obtain vinyl

SPEC DETECTIVE™

PSS is excited to introduce Spec Detective, our intuitive part number and specification tool.

PART NUMBER MATCH
Simply type in any manufacturer's part number, and we'll search our database to find the PSS comparable product, saving you the time and hassle of searching online to find the best sports equipment in the industry.

SPECIFICATION SEARCH
Looking for a complete resource for product information? Just type in a PSS part number and find everything you need, including specifications, CSI documents, REVIT files, installation manuals, warranties, product images, and more!



GROUP CONTROLLERS

TAKE BACK CONTROL OF YOUR GYMNASIUM EQUIPMENT WITH OUR TOTAL SYSTEM CONTROL (TSC) GROUP CONTROLLERS. OUR TSC OPTIONS GIVE FACILITY MANAGERS EQUIPMENT MOVEMENT CONVENIENCE WITH FINGER TIP CONTROL!



The TSC1500XLWIFI GROUP CONTROLLER gives the user the ability to manage their courts conveniently and efficiently, keeping their facility's daily programs running smoothly • Allows one touch operation of basketball backstops, divider curtains, lighting, scoreboards, PA systems or other electrically controlled equipment, now on your smart phone or tablet • This system adds mobility to our wall-mounted touch screen controller, allowing you to monitor your equipment as it operates throughout your gym • The innovative device eliminates the hassle of keeping track of multiple keys, and prevents wasted time setting up each device individually • Includes a single relay box capable of operating 12 devices, and is expandable up to 16 relay boxes until 192 devices are reached • The TSC1500XLWIFI uses an app with your tablet or smart phone showing the equipment layout for each court and any desired scenario of operation • Each device can be operated individually or simultaneously in any direction up or down • Password controlled to prevent unauthorized use • "Press and hold" button feature prevents authorized operator from walking away while equipment is in motion • Features auto shut-off after thirty seconds of non-use • Our WIFI is self contained in our system, eliminating potential downtime if the facility's system is not working • 5" touch screen is included if a smart phone or tablet is not available.

The TSC1500XL TOUCH SCREEN GROUP CONTROLLER unit allows one touch operation of any electrically controlled gymnasium equipment • The TSC1500XL includes a single relay box capable of operating 12 devices, and is expandable up to 16 relay boxes until 192 devices are reached • The system uses a 5.7" touch screen showing the equipment layout for each court and any desired scenario of operation • Each device can be operated individually or simultaneously in any direction up or down • Features manual control override with 15' cord, which is to be used at the relay panel as a back-up to the touch screen • The system is password controlled to prevent unauthorized use • "Press and hold" button feature prevents authorized operator from walking away while equipment is in motion • Features auto shut-off after thirty seconds of non-use.



The MODEL TSC1500 KEYPAD GROUP CONTROLLER is an economical option for the operation of basketball backstops, divider curtains, lighting, scoreboards, public address systems or just about any other electrically-operated equipment through a wall-mounted keypad • Unlike the more advanced TSC models, the TSC1500 does not require factory preset programming, so all functions can be conveniently programmed in the field • This system is a great low cost alternative for new or retrofit gymnasium installations • Features singular device operation and multiple device operation in groups of up to eight devices • Can control a maximum of 160 devices • Can handle a total of 75 possible moving groups and can operate 50 auxiliary devices • Includes power panel back up operating system and less electrical wiring is required • The device is passcode protected and no keys are required.





WALL PADDING

Our WALL PADDING protects players from contact in heavy play environments, such as behind basketball backstops and in wrestling rooms or workout areas • We offer a vast selection of padding choices, from walls to stages to custom structures • Our specifications meet or exceed the industry safety standards • All PSS wall padding is covered in 14 oz. polyester laminated vinyl that is rot, mildew, & fungus resistant and passes the rigorous ASTM E 84 flame resistance testing method required by today's stringent fire safety codes • Vinyl is fully wrapped over your choice of foam, and adhered to a 7/16" OSB board to provide a time-tested combination to keep your play area an impact safe zone.

14 OZ. VINYL COLORS

MARINE	ROYAL	YELLOW	KELLY	ORANGE	NAVY	GREY
FOREST	PURPLE	RED	BURGUNDY	WHITE	BEIGE	BLACK





I-BEAM PAD

	STANDARD FOAM: POLYURETHANE FOAM is recommended for areas with less aggressive play or with safer distances to any possible impact risk • Constructed of all virgin material, polyurethane was one of the first foam selections offered for wall padding • With a density measuring 3 1/2 lbs., polyurethane is better suited for the light impact areas.	MODEL 4110 FLAT PADS MODEL 4310 CORNER PADS MODEL 4510 COLUMN PADS MODEL 4606 8" "I" BEAM PADS MODEL 4210 10" "I" BEAM PADS
	IMPACT FOAM: BONDED OR POLYETHYLENE FOAM is recommended for areas with high aggressive play and close to possible impact risk • Impact foams are comprised of two types of foam: 2" BONDED POLYURETHANE FOAM or our 2 1/4" POLYETHYLENE FOAM • Both foams are tested per ASTM F1292-09 testing methods and meet all the requirements of the ASTM F2440-11, which is the industry standard for impact.	MODEL 4120 FLAT PADS MODEL 4320 CORNER PADS MODEL 4520 COLUMN PADS MODEL 4608 8" "I" BEAM PADS MODEL 4610 10" "I" BEAM PADS
	FIRE RATED FOAM: NEOPRENE FOAM is a 5.0lb density foam produced utilizing low smoke polychloroprene latex compound making it the only choice when your entire pad assembly (foam, board, and vinyl) are required to meet the strenuous ASTM E84 Class "A" Fire code test • This foam selection creates a combination that meets even the most stringent of local fire codes!	MODEL 4130 FLAT PADS MODEL 4330 CORNER PADS MODEL 4530 COLUMN PADS
	XX-FIRM NEOPRENE FOAM is ideal for high impact and stringent fire code safety environments • Our XX-Firm 2" Neoprene Foam passed the ASTM E84 fire rating standards as well as the ASTM F1292-0.	

	NAIL LIP STANDARD ATTACHMENT is the perfect choice for permanently mounted padding • 1" nail lip at the top and the bottom of the pad provided for placement of building approved fasteners.	STANDARD ATTACHMENT
	"J" CHANNEL MOUNTING SYSTEM is ideal for those environments that require removal of padding on a very infrequent basis • Our "J" Channel system also provides the pads with a clean, finished look by utilizing an extruded aluminum channel at top and bottom of pad for attachment that is visible from the outside • Channels should be mounted to sound structure with attachment methods approved for building conditions	MODEL 4195
	"Z" CLIP MOUNTING SYSTEM is the solution for a secure but removable attachment method • Our "Z" Clip is mounted in two locations both to the wall and on the padding providing ease of removal and an attachment method that conceals all fasteners from site.	MODEL 4196
	ALUMINIUM CHANNEL WITH HOOK & LOOP FASTENER is the attachment choice for easily removable padding • This attachment method is concealed and allows for frequent removal of padding • System comes complete with three aluminum extruded channels and Velcro® hook for attachment to wall and either sewn or glued (for retrofit) Velcro loop on padding which creates a clean and secure attachment.	MODEL 4199



MODEL FGP002 CEILING-HUNG RETRACTABLE FOOTBALL GOALPOSTS electrically retract up to the ceiling, allowing practice facilities and multi-sport gymnasiums to maximize their facility space • Each goalpost consists of an 18' 6" wide steel crossbar to meet collegiate football specifications, and 30' tall aluminum uprights • Goalposts are constructed with a 4-1/2" O.D. galvanized steel crossbar, which is 18' 6" wide to meet collegiate football specifications. Uprights are 2-3/8" O.D. heavy wall aluminum tubing, spanning 30' in height • Crossbar and uprights are powder-coated in white or yellow to withstand heavy play environments • Goalposts raise up to the ceiling with our 1194 electric hoist • Sold in pairs.



104

MODEL 104 HORIZONTAL LADDER is constructed of 1 5/8" diameter heavy wall tubing • Support frame is fastened to 2"x 6" wood boards sealed and varnished that are mounted to the wall • Ladder rungs are 1" diameter steel tubing • Includes grey powdercoat finish.




108

MODEL 108 ARM LADDER is constructed with 15/16" diameter heavy wall tubing • Support frame is fastened to 2"x 6" wood boards sealed and varnished are mounted to the wall on 22" centers • Grid rungs are 1" diameter steel tubing spaced 8" apart • Includes grey powdercoat finish.

MODEL 109 ADJUSTABLE HEIGHT CHIN UP BAR is constructed of steel frame rails and a welded steel movable bar structure • Bar is 1" diameter and shall adjust to four predetermined heights using keyhole slots • Includes grey powdercoat finish.



109



105

MODEL 105 PEG BOARDS are 2" thick hard wood finished with three coats of clear varnish • Two hand-grip pegs are furnished for each board • Pegboards are available in the following sizes: Advanced Elementary (24" x 24"), Junior/Senior HS (28" x 28"), Vertical HS (12" x 72"), and High School/Collegiate (31"x31")



106

MODEL 106 GRID CLIMBER is constructed of 15/16" diameter heavy wall tubing • Support frame is fastened to 2"x 6" wood boards sealed and varnished that are mounted to the wall on 31 5/16" centers • Grid rungs are 1" diameter steel tubing • Includes grey powdercoat finish.

PORTABLE BASKETBALL BACKSTOPS

PSS isn't the premiere manufacturer of portable basketball backstops by accident. Our tradition of quality and innovation began on the drafting tables of our engineering team over 40 years ago, and we haven't looked back since! From our industry changing invention of the Hydra-Goal in 1980, the first ever arena portable system, to our recent introduction of the popular GARED Pro S spring-balanced competition portable, PSS has been continually revolutionizing the portable basketball market. Today, we are proud to offer a full line of competition portable basketball systems, many of which can be seen in professional arenas and NCAA Division 1, II & III schools across the U.S., as well as all over the globe. PSS offers a huge assortment of systems for every type of facility and play level! [VIEW OUR FULL LINE OF PORTABLE BASKETBALL BACKSTOPS AT WWW.PERFSports.COM!](http://WWW.PERFSports.COM)

GARED PRO S: SPRING BALANCED COMPETITION PORTABLE

The GARED® PRO S is the finest engineered competition portable in the world using tension spring technology • The maintenance-free tension spring mechanism is designed for balanced and effortless lifting/lowering of the unit • Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition • Boom pad and floor anchoring system are included with the unit • Shot clock supports are sold separately • **10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5 YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4 YEAR ON BREAKAWAY GOAL.**

9618: GARED PRO S WITH 10' 8" BOOM
10' 8" BOOM FOR (3.25 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 3025 LBS. DEDICATED TRUCK

9618WL: GARED PRO S WITH 10' 8" BOOM & WHEEL LIFT
10' 8" BOOM FOR (3.25 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 3062 LBS. DEDICATED TRUCK

9616: GARED PRO S WITH 8' BOOM
8' BOOM FOR (2.45 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 2815 LBS. DEDICATED TRUCK

9616WL: GARED PRO S WITH 8' BOOM & WHEEL LIFT
8' BOOM FOR (2.45 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 2825 LBS. DEDICATED TRUCK



HOOPMASTER®: VERSATILE SPRING BALANCED PORTABLE BASKETBALL SYSTEM

This state-of-art portable basketball system uses the GARED tension spring technology for easy use and operation • The maintenance-free tension spring mechanism has been engineered for balanced and effortless lifting and lowering of the unit and the springs are concealed inside the base for safety and appearance • The Hoopmaster® is designed for main court play in university, high school and professional arenas • It is ideal for all side court play and it is approved by FIBA for level 3 international competition • **10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5 YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4 YEAR ON BREAKAWAY GOAL.**

9408: HOOPMASTER®8 WITH 8' BOOM
8' BOOM FOR (2.45 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 2405 LBS. DEDICATED TRUCK


9405: HOOPMASTER®5 WITH 5' BOOM
5' BOOM FOR (1.5 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 2392 LBS. DEDICATED TRUCK



HOOPMASTER® LT: THE PORTABLE OF CHOICE FOR SIDE COURTS, OUTDOOR COMPETITION AND INTRAMURAL PLAY

The traditional style of the GARED HOOPMASTER® LT offers more features and structural strengths than any similar size basketball portable backstop available on the market • A unique tension spring mechanism allows for effortless lifting and lowering of the unit • Adjustable at 8', 9' and 10' heights, the portable comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • An anchoring system is included with the unit • Full weight with ballast 1700 lbs. (771 kgs) • **10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 10 YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4 YEAR ON BREAKAWAY GOAL • PLEASE NOTE: OUTDOOR USE AND STORAGE OF THE HOOPMASTER LT VOIDS WARRANTY • OUTDOOR USE REQUIRES GALVANIZED UPCHARGE FINISHING.**

9305: HOOPMASTER® LT WITH 5' BOOM
5' 6" BOOM FOR (1.68 M) PORTABLE BASKETBALL BACKSTOP
WEIGHT: 1700 LBS. DEDICATED TRUCK





THE SKYMASTER® ALLOWS FOR SETTING THE NET AT YOUR FINGERTIPS • Our ceiling-hung volleyball system eliminates the need for transporting volleyball equipment, while saving storage space • This innovative design allows you to electrically raise and lower your entire system up and out of the way of other court activities in just minutes! • Everything you need to play is included with the system, including upright pads and a premium net • Optional padded referee stand is available • The SkyMaster® can be custom-manufactured to meet the specific requirements of any facility and is available in one, two, or three-court configurations • **25 YEAR LIMITED WARRANTY ON STRUCTURE, 5 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY.**

SKYMASTER® CEILING-HUNG VOLLEYBALL SYSTEM FEATURES:

- 4" square powdercoated steel support structure
- 1HP dual drum direct drive electric hoist
- Rail system for net attachment provides infinite net height adjustment for volleyball, badminton, and tennis.
- Easy-to-operate ratchet winch with folding handle for safe adjustment
- Fully padded uprights
- Includes antennas, sideline markers, and cable covers
- Safety straps are included for added safety
- *OPTIONAL FEATURE: Electric Net Height Adjustment*

8001: SKYMASTER® ONE-COURT VOLLEYBALL SYSTEM

- WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION
- (1) COMPETITION NET
 - (1) PAIR OF ANTENNAS AND SIDELINE MARKERS
 - (2) UPRIGHT SAFETY PADS

8001R: SKYMASTER® ONE-COURT VOLLEYBALL SYSTEM AND PADDED REFEREE STAND

- WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION
- SAME AS ABOVE WITH PADDED REFEREE STAND

8002: SKYMASTER® TWO-COURT VOLLEYBALL SYSTEM

- WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION


8002R: SKYMASTER® TWO-COURT VOLLEYBALL SYSTEM AND PADDED REFEREE STAND

- WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION

Introducing our NEW SKYMASTER® SUSPENDED CEILING-HUNG VOLLEYBALL SYSTEM! This innovative system is constructed with uprights that are securely suspended in the air with almost 3 feet between the bottom of the post and the floor, making it ideal for competition play environments • Available with or without referee stand, and in one, two, and three-court configurations.

8101R: SKYMASTER® SUSPENDED ONE-COURT VOLLEYBALL SYSTEM AND PADDED REFEREE STAND

- WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION



6100 SYSTEM FEATURES


1. Heavy duty ratchet winch for smooth and easy net tension adjustment
2. Spring assist telescopic post for easy net height adjustment.
3. Winch handle that folds for added safety
4. Lightweight high strength 3.5" O.D. aluminum post
5. Adjustable foot pad for achieving precise height requirements

6100: 3 1/2" OD RALLYLINE™ SCHOLASTIC TELESCOPIC SYSTEM

Best-selling competition volleyball system with quick and easy set up with preset heights utilizing our unique pin-lock mechanism • The telescopic tube raises and lowers easily with the spring assist operation for men's, women's and junior's play • Our innovative top cap allows the winch strap to move effortlessly over the post for easy attachment to the net • The 3 1/2" O.D. telescopic uprights are constructed of a strong, yet lightweight anodized extruded aluminum for superior support and long life • Easy-to-operate ratchet winch sets net tension • New 3-point net attachment makes set up quick and easy • Bottoms of uprights feature adjustable, non-marking pads • Meets USVBA, NCAA, and NFHS competition specifications • **10 YEAR LIMITED WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

6100: SCHOLASTIC TELESCOPIC ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: 153 LBS (70 KGS.), TRUCK, FREIGHT CLASS 100



6000 SYSTEM FEATURES

1. Heavy duty ratchet winch for smooth and easy net tension adjustment
2. Easy glide slide collars for infinite net height adjustment
3. Winch handle that folds for added safety
4. Lightweight high strength 3.5" O.D. aluminum post
5. Adjustable foot pad for achieving precise height requirements

6000: 3 1/2" OD RALLYLINE™ SCHOLASTIC MULTI-SPORT SYSTEM

Extremely versatile and economical aluminum volleyball system offering the most complete line of net sports all within one system • With easy to use slide collars, the net is infinitely raised and lowered to any height • Unique pin-lock mechanism allows posts to adjust to Men's (7' 11 5/8"), Women's (7' 4 1/8"), and Junior's (7') net heights • The 3 1/2" O.D. lightweight high strength aluminum posts with anodized finish provide dependable performance and years of worry-free use • Bottoms of uprights feature adjustable, non-marking pads • Meets USVBA, NCAA, and NFHS competition specifications • **10 YEAR LIMITED WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

6000: SCHOLASTIC ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: 122 LBS (55 KGS.), TRUCK, FREIGHT CLASS 100



5100 SYSTEM FEATURES

1. Engraved height settings on each post
2. Stop pin for fast adjustment of net height
3. Cable holds pin securely to post
4. Heavy duty ratchet winch for smooth and easy net tension adjustment
5. Winch handle that folds for added safety
6. Internal spring assist for easy net height adjustment
7. 3" O.D. Steel uprights
8. Adjustable foot pad for achieving precise height requirements

5100: 3" OD OMNISTEEL™ SCHOLASTIC TELESCOPIC SYSTEM

Steel competition volleyball system offers a traditional design with unmatched strength and support for all levels of volleyball play • Durable 3" O.D. telescopic steel posts include a sleek black powdercoat finish • Features hassle-free net height adjustment with our pin-lock mechanism for men's, women's, and juniors net heights • Engraved markings on telescopic post indicate height • Internal spring system keeps telescopic post from free falling inside the base post when the pin lock is removed • Net Glide System easily glides the net cable over the post to the ratchet winch for tensioning • Meets USVBA, NCAA, and NFHS competition specifications, **LIMITED LIFETIME WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

5100: 3" OD OMNISTEEL™ ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: 186 LBS (85 KGS.), TRUCK, FREIGHT CLASS 100

PLEASE VISIT WWW.PERFSports.COM FOR COMPLETE VOLLEYBALL PRODUCT COURT OPTIONS INCLUDING GO COURT PORTABLE SYSTEMS.



VOLLEYBALL UPRIGHT SAFETY PADDING

VOLLEYBALL UPRIGHT SAFETY PADDING protects players from injury during play • 6' high pads are comprised of 1-1/4" thick urethane foam covered in 14-oz. vinyl-coated nylon • See color chart for color availability • Meets NCAA, NFHS, and International specifications.

6010: VOLLEYBALL UPRIGHT SAFETY PAD (SPECIFY COLOR)

10 YEAR LIMITED WARRANTY, WEIGHT: 8 LBS (4 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP, FOR STOCK COLORS

6020: VOLLEYBALL CENTER UPRIGHT SAFETY PAD (SPECIFY COLOR)

10 YEAR LIMITED WARRANTY, WEIGHT: 8 LBS (4 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP FOR STOCK COLORS

REFEREE STANDS AND PADDING

Our versatile REFEREE PLATFORM is designed for use with any system and will function as fixed or free standing • "V" brackets allow attachment directly to your post via Velcro® straps • Legs are fully height adjustable with protective end caps on bottom • Two non-marring wheels allow easy transport to and from storage area • Optional safety padding available.

6446: REFEREE STAND

1 YEAR LIMITED WARRANTY, WEIGHT: 68 LBS (31 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

6448: COLLAPSIBLE REFEREE STAND

1 YEAR LIMITED WARRANTY, WEIGHT: 68 LBS (31 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP



REFEREE STAND SAFETY PADDING is constructed of dense foam covered with reinforced vinyl for maximum protection • Velcro® attachment allows for quick and easy set up • See chart for color availability • Meets NCAA, NFHS, and international specifications.

6040: REFEREE STAND SAFETY PAD, 1 YEAR LIMITED WARRANTY, WEIGHT: 12 LBS (5 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP (FOR STOCK COLORS)



VOLLEYBALL EQUIPMENT STORAGE CART will quickly and easily store up to six volleyball uprights, referee stand and pads • The convenient basket also holds net, antennas and balls • Non-marring casters roll easily for convenient transport into storage area in one trip.

6295: VOLLEYBALL EQUIPMENT STORAGE CART

WEIGHT: 70 LBS (32 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

PICKLEBALL

PSS has everything you need for one of the fastest growing sports in the country! • Our sleeved system is a smart choice for indoor facilities requiring pickleball and badminton play on a single system • The portable system allows for convenient transport in storage bag, making it perfect for leagues and recreational use • All systems include two powdercoated posts and an official 21' net • Sleeved system includes two sleeves with cover plates.

PKLBDMNT: INDOOR SLEEVED PICKLEBALL AND BADMINTON SYSTEM

WEIGHT: 75 LBS (34 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

PKLBIG: OUTDOOR SLEEVED PICKLEBALL SYSTEM

WEIGHT: 92 LBS (42 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

PKLPORTLT: PORTABLE PICKLEBALL SYSTEM

WEIGHT: 24 LBS (11 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP



VOLLEYBALL FLOOR SLEEVES are constructed of heavy-gauge steel for increased support of volleyball uprights in indoor facilities • Allow uprights to be removed and stored out of the way of other court activities • Designed for use with floating and non-floating synthetic floors • Choose 4", 3 1/2", or 3" inside diameter, depending on your facility's requirements.

6405: 4" O.D. X 12" DEEP FLOOR SLEEVE

WEIGHT: 7 LBS (3 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

6400: 3 1/2" O.D. X 10" DEEP FLOOR SLEEVE

WEIGHT: 8 LBS (4 KGS.), GROUND COURIER SERVICE, 24 HOUR SHIP

6404: 3" O.D. X 9" DEEP FLOOR SLEEVE

COVER PLATES are constructed of a durable brass or chrome alloy with a concealed hinge for covering existing floor sleeves • All attachment screws are concealed when cover plate is in closed position, allowing for a completely flat and safe playing surface • Standard cover plates have a 5" O.D. with a total diameter of 6 1/4" • Oversized cover plates have a 6 5/8" O.D. with a total diameter of 8" • Please reference chart for cover plate size and finish.

ABOVE FLOOR SLEEVES are used with floor anchors when floor will not accept traditional in ground floor sleeves • T-type base provides superior support and eliminates the need for dangerous cables or rigid supports • Anchor included; choose from four floor anchors styles • Compatible with all GARED volleyball systems.




BOLT-ON SECOND STORY FLOOR SLEEVE ADAPTER allows for standard floor sleeves on every level of your facility • Unit bolts to underside of concrete or beam and allows for normal installation of floor sleeves • Constructed of 6 5/8" O.D. heavy-gauge steel and .156 wall tubing and steel channels for ultimate support and stability • Adapter measures 6" O.D. and is for use with all sleeves • Compatible with all GARED volleyball systems.

CUSTOM BASE ADAPTERS allow your facility to upgrade to GARED volleyball systems without the added expense of replacing your existing floor sleeves • Custom-designed to retrofit virtually any floor sleeve • Specify the diameter and depth of your existing floor sleeve when ordering.

FLOOR ANCHORS allow installation of above floor sleeves for existing facilities where access or floor structure is not ideal for installation of in ground floor sleeves • Anchors are installed flush with top of playing surface to allow for safe play • Choose from four anchor types, depending on the type of specialty flooring of your facility.

FLOOR ANCHORS, SEE CHART FOR WEIGHTS, GROUND COURIER SERVICE, 24 HOUR SHIP

MODEL #	STYLE	FLOOR TYPE APPLICATION	WEIGHT (LBS)	WEIGHT (KGS)
1015-12-00	Style B	Wood over concrete	1	.5
1026-12-00	Style BX	3 1/4" Anchor wood over concrete	1	.5
1020-12-00	Style C	Concrete or synthetic	1	.5
9112	Style E	Wood resting on sleeper or metal clip	1	.5



INDOOR BADMINTON

SLEEVE-TYPE BADMINTON SYSTEM is ideal for competition or recreational use • Constructed of 1 1/2" square steel-tubed uprights, powdercoated white for durability • Designed to be installed into permanent floor sleeves for easy removal when not in use • Includes adjustable foot pad to set net height.

6619: ONE-COURT SLEEVE-TYPE BADMINTON SYSTEM

1 YEAR LIMITED WARRANTY, WEIGHT: 40 LBS (18 KGS.), TRUCK, FREIGHT CLASS 85, 48 HOUR SHIP

ONE-COURT BADMINTON SYSTEM INCLUDES:

- (2) 1 1/2" square badminton uprights
- (2) 1 1/2" square floor sleeves
- (2) Swivel brass cover plates
- (1) Badminton net

PORTABLE BADMINTON SYSTEM is a versatile alternative to sleeve-type badminton systems •

Constructed of 1 1/2" square steel-tubed uprights, powdercoated white for durability • Weighted base with T-bar keeps posts rigidly in place • Solid rubber castors allow quick and easy transport in and out of storage area • Center uprights available for multi-court configurations.

6631: ONE-COURT PORTABLE BADMINTON SYSTEM WITH 60LB BASE

1 YEAR LIMITED WARRANTY, WEIGHT: 150 LBS (68 KGS.), TRUCK, FREIGHT CLASS 85, 48 HOUR SHIP



BLEACHERS, BENCHES & SITE AMENITIES

You can count on PSS's trusted reputation and years of manufacturing expertise, as our site and field amenities have been specifically designed and rigorously tested to stand up to demanding athletes, unpredictable weather conditions, and daily exposure to the general public. Contact PSS today to put the finishing touches on your park, outdoor venue, or sports field that will be sure to impress the crowd!



TRB0315



GSNB1021WA



LEILA ROBINSON NETBALL COURT - KINGSTON, JAMAICA
GSNB08115.5WA



BE08PTWS

FIELD SPORTS EQUIPMENT


Developed by the same experienced engineering team as our highly regarded basketball line, PSS field sports products were created with the basic needs of coaches and players in mind - safety, ease of assembly, and tons of standard features. And now with the fastest lead times in the industry and an even bigger selection of products and accessories than ever before, there's no reason why you should shop anywhere else for your facility's soccer, lacrosse, and football needs!



TOUCHLINE STRIKER SOCCER GOAL




LG200




PLAYGROUND & OUTDOOR BASKETBALL EQUIPMENT

At PSS, we believe recreational areas, public parks, and other outdoor venues are just as important as indoor facilities in developing the game of basketball. In addition, your outdoor equipment must be able withstand harsh weather elements, possible vandalism, and constant exposure to rigors of demanding public play. No need to worry, because our PSS's complete line of outdoor basketball systems provides unparalleled strength, durability, and peace of mind when you need it most - whether you need a full court set up for a local park, or just shooting hoops in your own backyard!



PK3535



PK6091



GP105G72
OPTIONAL POLE PAD SHOWN

WWW.PERFSports.COM

PERFORMANCE SPORTS SYSTEMS

PSS FEATURED FACILITIES



FOLEY EVENT CENTER - FOLEY, ALABAMA
HOOVER SPORTS COMPLEX - HOOVER, ALABAMA
DRIVE NATION SPORTS - DALLAS, TEXAS
ZIONSVILLE HIGH SCHOOL - ZIONSVILLE, INDIANA
WESTERN STATE UNIVERSITY - GUNNISON, COLORADO
BLUE VALLEY REC CENTER - OVERLAND PARK, KANSAS
TOWN AND COUNTRY SPORTS & HEALTH CLUB - WILDER, KENTUCKY
ST. JOHNS PREP - DANVERS, MASSACHUSETTS
SALEM UNIVERSITY - SALEM, MASSACHUSETTS
ATLANTA HIGH SCHOOL - ATLANTA, GEORGIA
SAGINAW VALLEY STATE - UNIVERSITY CENTER, MICHIGAN
CORNING-PAINTED POST HIGH SCHOOL - CORNING, NEW YORK
DEKALB YMCA - AUBURN, INDIANA
FRANKLIN HIGH SCHOOL - PORTLAND, OREGON
ST. LAWRENCE COLLEGE - KINGSTON, ONTARIO, CANADA
ST. CLOUD APOLLO HIGH SCHOOL - ST. CLOUD, MINNESOTA
WAUNAKEE INTERMEDIATE SCHOOL - WAUNAKEE, WISCONSIN
ABILITIES CENTRE - WHITBY, ONTARIO, CANADA
ASHBURY COLLEGE - OTTAWA, ONTARIO, CANADA
HIGHLANDS RECREATION CENTER - LARGO, FLORIDA
UNIVERSITY OF NORTH DAKOTA - GRAND FORKS, NORTH DAKOTA
ROBERT S. ALEXANDER HIGH SCHOOL - DOUGLASVILLE, GEORGIA
BENTON RIVER CENTER - BENTON, ARKANSAS
CITY WAY YMCA - INDIANAPOLIS, INDIANA
NORTHWEST HIGH SCHOOL - SPRINGFIELD, OHIO
WESTFIELD HIGH SCHOOL - WESTFIELD, INDIANA

CONTACT PSS:

9200 E. 146TH ST, NOBLESVILLE, IN 46060

PH: 317.774.9840 | FAX: 317.774.9841

EMAIL: INFO@PERFSports.COM | WEBSITE: WWW.PERFSports.COM

CAT2019PSSSWEETS

WWW.PERFSports.COM

