

MIDAMERICA NAZARENE UNIVERSITY
 MNU.edu

Olathe HEALTH

Olathe
 Olathe Public Schools USD 233

Robert BROGDEN
 BUICK GMC

OLATHE

HOME 24 12:13 GUEST 10

FIRST DOWN

Sponsored By

MIDAMERICA NAZARENE UNIVERSITY
 MNU.edu

3 DOWN TO GO 1 TO GO 37 BALL ON 1 QTR 3 T.O.L.

GARMIN DS BUS LINES Bank of Blue Valley ConvergeOne MAMMOTH SPORTS CONSTRUCTION FieldTurf Commenco

SCOREBOARDS
& DISPLAY PRODUCTS

22-23

CONTENTS

- 2 Campus Map
- 4 Why Daktronics
- 6 Live Streaming
- 7 DakClassroom
- 8 Campus Communication
- 10 Scoreboard Options
- 13 INDOOR PRODUCTS**
- 15 Indoor Video
- 16 Indoor Control
- 18 Indoor Audio
- 20 Aquatics Scoring
- 22 Basketball Scoring
- 32 Wrestling Scoring
- 33 Hockey Scoring
- 36 Indoor Accents
- 39 OUTDOOR PRODUCTS**
- 41 Outdoor Video
- 46 Outdoor Control
- 48 Outdoor Audio
- 50 Baseball Scoring
- 58 Football Scoring
- 66 Track Scoring
- 68 Lacrosse Scoring
- 69 Soccer Scoring
- 72 Outdoor Accents
- 74 Control Consoles
- 76 Timing Displays
- 78 Sport Modes
- 86 Scoreboard Index
- 88 Accent Index

OUR COMPANY

No matter where you live, work and play, no doubt you've seen our life's work. From a small town high school scoreboard to the largest video displays in the major leagues – and from the message board at your local convenience store to the huge spectacular installations in Times Square, Las Vegas and Dubai – we are passionate about taking care of our customers and making each display look its best for everyone who sees them.

Daktronics was founded in 1968 by two South Dakota State University engineering professors, Aelred Kurtenbach and Duane Sander. They wanted to keep talented university students in the state by providing them with viable, challenging work right here in Brookings. So, they set up shop in Al's garage, found some investors and never looked back.



AQUATICS

GYMNASIUM

HOCKEY

BASEBALL & SOFTBALL

FOOTBALL & TRACK

LACROSSE & SOCCER



REACH YOUR CAMPUS

Connect your entire campus with video displays, scoreboards, audio systems and message centers to entertain, inform and engage.

-  AQUATICS
-  BASKETBALL
-  VOLLEYBALL
-  WRESTLING
-  HOCKEY
-  BASEBALL & SOFTBALL
-  FOOTBALL
-  TRACK
-  LACROSSE
-  SOCCER
-  DIGITAL NETWORKS
-  MARQUEE



WHY DAKTRONICS

Saving money upfront by purchasing from an LED broker who promises “lower prices” can be tempting. But how do they offer those lower prices? By contracting with multiple overseas manufacturers who in turn use hundreds of component suppliers. That can lead to a subpar digital display, resulting in additional cost, headaches and even lost revenue for you.

When you purchase your digital display directly from Daktronics, you partner with a worldwide leader in digital manufacturing with a commitment to longevity and quality. Whether you purchase a standard or customized display, you can rest assured that it is built with tested, reliable components that will outlast any supplier's parts.

WHO MAKES YOUR DISPLAY COMPONENTS?

FEWER, MORE CONSISTENT SOURCES

When you choose your LED and LCD display solutions, ask where the product originates. It makes a real difference in the longevity and reliability of your displays. Daktronics displays are manufactured in the USA using globally sourced parts. Each step is carefully planned and executed. We vet our component suppliers carefully, using a limited number of trusted partners. In fact, our engineers spend a lot of time with each supplier, developing products and ensuring that their quality is up to our standards.

DEDICATION TO RELIABILITY

We are so adamant about the reliability of our displays that we have our own extensive on-site Reliability Lab. The Daktronics Reliability Lab puts every single component through vigorous testing. The industry standard is 17 steps of testing. Daktronics implemented a staggering 63 steps, testing everything from electrical components to plastics to LEDs. You are invited to visit our Reliability Lab at our headquarters in Brookings, SD. Or, watch our lab's testing videos at daktronics.com/lab.

MAKE SURE THE FUTURE REMAINS BRIGHT

COMPONENTS MATTER

The truth is, most digital displays can look good for the first few years. But at Daktronics, we believe your display should look fantastic until you decide to upgrade. When you purchase from a supplier that uses cheaper components, there is no guarantee you'll have access to replacement parts, as they may change their technology with no warning. Your display can end up with varying degrees of brightness and color quality, which reflects poorly on you and your sponsors. That's not acceptable.

FAST, DEPENDABLE SERVICE

If your display ever does need service, you can count on a fast response from Daktronics. More than 90% of our customers in the US have factory-trained Daktronics service people with quick access to repair parts within two hours of their location. You won't be left to fend for yourself.

SAVE MONEY, TIME AND HEADACHES FOR YEARS TO COME

When you purchase your display from Daktronics – the leader in LED technology – you eliminate the unknowns that you deal with when you take the low bid from a broker who uses hundreds of component suppliers. After all, how can a broker slap a 10-year guarantee on a display they may not be able to get parts for? Be sure to ask for references, and read the fine print to really understand what's included in a guarantee.



MORE THAN MEETS THE EYE

When you purchase a scoreboard or video display from Daktronics, you get peace of mind from working with the industry leader:

- › Less time spent on bidding and research
- › Fast, dependable maintenance for less downtime
- › Unparalleled quality
- › Reduced tariffs due to fewer overseas components
- › Equipment manufactured in the US with globally sourced components
- › Longer display life expectancy
- › Added benefits such as Daktronics Sports Marketing, the Daktronics curriculum and DakClassroom



LIVE STREAMING

With the growing popularity of live streaming, having the right tools to keep people informed is essential. Daktronics has the tools to display live scoreboard data in a professional, appealing way.

LIVE SCORE BUG

Live Score Bug is a plug-and-play controller that takes your All Sport Pro or All Sport 5000 game data and instantly overlays it on your live video feed. Customize mascots and team colors, and show the score in real time on the bottom of the screen – just like the pros. It's quick and easy, no additional operators are needed, and it automatically adjusts for any sport.



BIG STREAM

Big Stream keeps school spirit alive by taking the game to the fans, wherever they are. They can stream to their TV or computer screen, but they'll have the experience of watching a big video board in the stands. Big Stream is new, portable plug-and-play technology, so it's simple for you, and exciting for your fans.

daktronics.com/bigstream



ALL SPORT CHARACTER GENERATOR (CG)

This is a simpler, data-driven solution that transfers serial data to other interfacing streaming software. Automatically transfer live data to third-party streaming software that accept All Sport CG feeds to populate pre-built scoring graphics.



DAKCLASSROOM

Take video production students to the next level with DakClassroom. Give your students the skills, the experience and the confidence to succeed in their high school career and beyond. Students will learn to work as a team, plan production and run the same equipment as professionals.

STUDENT CURRICULUM

The Daktronics Event Production Curriculum helps educators plan and execute an engaging course that introduces high school students to event production. Incorporating the curriculum into CTE coursework gives students a chance to learn technical terminology and technical skills on Daktronics equipment, so they can move straight into collegiate-level displays.



SHOW CONTROL EDUCATION EDITION

Teachers no longer have to take students to Show Control, because we're bringing it to the classroom. With Show Control Classroom, schools can have Show Control software on up to 15 laptops, Chromebooks, or tablets, so students can create game day content from the classroom. Multiple video outputs also provide opportunity for content review as a group.



DAKTRONICS CREW CONNECT

Schools can help students thrive beyond high school. Daktronics Crew Connect is a free program that introduces exceptional high school students who use Daktronics equipment in event production to colleges and universities across the country.

daktronics.com/crewconnect





CAMPUS COMMUNICATION

Make communicating with students, teachers, and even visitors simple and effective with Daktronics digital displays. Place LCD and LED displays indoors or outdoors throughout your campus to reach people with the right message at the right time.

VENUS® CONTROL SUITE SOFTWARE

Easily control your messaging for every display from one central location with Venus® Control Suite, our secure, intuitive cloud-based software.

- › Upload and schedule content with just a few clicks
- › Daypart messaging for targeted content playback
- › Customize workflows and approval processes
- › Receive software updates automatically
- › Gain control with a powerful, scalable hosted solution



IMAGINE THE POSSIBILITIES

Schools can use digital displays to reach people in strategic places and in various ways:

- › Streetside and parking areas
- › Entry
- › Gathering spaces and common areas
- › Cafeterias
- › Concessions
- › Hallways
- › Office
- › Performing arts
- › Theater backdrop
- › Wall of fame




Trophy Area/Wall of Fame



Conference Room



Classroom/Theater Backdrop



SCOREBOARD OPTIONS

Daktronics provides more than 20 standard color options to personalize your display. Our high-quality, long-lasting finishes resist fading over time. Daktronics paints and primers are waste paint non-hazardous and safe for the environment.

You can also choose to replace the HOME caption with your mascot or team name. Opt for colored striping and captions to coordinate with school colors (outlined captions are available for an additional fee).

DAK SCORE

Make the most of your scoreboard with the DAK Score mobile app and segment timer. With wireless control from a smartphone or tablet with a Bluetooth® connection, coaches can make practice more productive, and scorekeepers can sit anywhere during the games.



DAK Score on Tablet and Phone

TEAM NAME MESSAGE CENTERS


If you have a multi-school facility or if you host tournaments, Team Name Message Centers may be right for you. Available for most indoor and outdoor models, TNMCs feature cost-efficient LED technology and enable operators to display names of home and guest teams.



TNMC with Double-Stroke Font

WEATHER TIGHT

Don't let corrosion bring your scoreboard down on game day. Daktronics outdoor scoreboards have weather-sealed digits with a 1/8 inch (3 mm) layer of weather-tight silicone gel applied to the front and back. This gel completely seals out moisture, creating unmatched weather resistance, even in the harshest conditions.







Daktronics Gel Coating vs. Conformal Coating

FIND THE PERFECT FIT FOR YOUR FACILITY

No matter the size of your field or gym, you can create the perfect scoreboard. Our outdoor Stadium Experience and indoor Scoreboard Configurator let you create your scoreboard based on facility capacity, digital requirements, sports, paint and digit colors and more. See it all on your screen, and even request a quote right from your computer.

Visit daktronics.com/football or daktronics.com/basketball to build the system that is right for you.



Guided Stadium Experience



INDOOR PRODUCTS

Choose the system that's right for your indoor arena. Daktronics has the display, scoreboard and audio options to keep fans on the edge of their seats.

- 15 Indoor Video
- 16 Indoor Control
- 18 Indoor Audio
- 20 Aquatics Scoring
- 22 Basketball Scoring
- 32 Wrestling Scoring
- 33 Hockey Scoring
- 36 Indoor Accents

“When we considered the quality, price, and customer service we would get, Daktronics was the perfect fit. The new system has increased the overall event experience for our community.”
 –Ben Rolens, Facilities Manager, Katy ISD Merrell Center, Katy, TX



TRENDSETTING GYMNASIUM SYSTEMS



INDOOR VIDEO DISPLAYS

A video display cranks up the excitement of any event with statistics, interactive prompts and sponsor promotions. Plus, take your display beyond game day! A video display is a great teaching tool for physical education, and it provides a more comprehensive creative outlet for video production classes.



CABINET SIZE HEIGHT x WIDTH

FEET	METERS
6.59 x 18.07	2.01 x 5.51
8.23 x 14.79	2.51 x 4.51
8.23 x 19.71	2.51 x 6.01
9.87 x 16.43	3.01 x 5.01
9.87 x 22.99	3.01 x 7.01
11.51 x 19.71	3.51 x 6.01
13.15 x 22.99	4.01 x 7.01

CLICK TO SEE ONLINE SPECS!

5.9MM DVN

ROWS COLS

336 x 924
420 x 756
420 x 1008
504 x 840
504 x 1176
588 x 1008
672 x 1176

3.9MM DVN

ROWS COLS

512 x 1408
640 x 1152
640 x 1536
768 x 1280
768 x 1792
896 x 1536
1024 x 1792

5.9MM LVN

ROWS COLS

168 x 336
168 x 420
168 x 504
168 x 756
252 x 420
252 x 504
252 x 756
336 x 420
336 x 588
336 x 756

3.9MM LVN

ROWS COLS

256 x 512
256 x 640
256 x 768
256 x 1152
384 x 640
384 x 768
384 x 1152
512 x 640
512 x 896
512 x 1152

Outlined sizes are available in centerhung configurations

NOTE: When considering video display technology, be sure your content plays seamlessly by comparing the processing capabilities. Daktronics uses a 22-bit distributed processing method with 16 bits dedicated to color processing, ensuring pristine image quality.

POPULAR LAYOUT EXAMPLES




384 X 768
Active Area: 4.92' X 9.84'



512 X 896
Active Area: 6.56' X 11.48'



512 X 1152
Active Area: 6.56' X 14.76'



896 X 1536
Active Area: 11.48' X 19.69'



INDOOR VIDEO CONTROL

Create powerful content for every game and beyond. This easy-to-use software makes it simple to use every day – during gym class, athletic practices, pep rallies, movie night, graduation ceremonies and more.

ALWAYS ADVANCING AND EASY TO USE

Start with the simpler software, and upgrade with these options as your comfort level increases.

Video production system – Add special effects like slow motion, wipes, animated titles and more.

Daktronics statistics software – Easily manage game, season and career statistics at all levels of play. Enter live game statistics with the intuitive play-by-play entry mode, or use box mode for post-game stats entry.

Show Control is the most used control system at the college level and what we have here at UW Oshkosh. When we see high school graduates coming to our school with show control, they are much more desirable than students that have experience with other systems.


–Darryl Sims, Athletic Director & Asst. Chancellor, University of Wisconsin Oshkosh, Oshkosh, WI



SHOW CONTROL

Show Control is a software suite that makes game day easy. It includes Content Studio to create and edit content before and during the game, and Display Studio to play your content and live action with the touch of a button. It's compatible with All Sport® Pro and All Sport® 5000.

Ask your Daktronics sales representative for a demonstration.



ALL SPORT® PRO

All Sport Pro is the only software that provides scoring and video control from any singular device. Using a laptop or smart tablet, easily integrate with Show Control, and expand the functionality to multiple operators.



Kirkwood High School Kirkwood, Missouri | SSN-150

INDOOR AUDIO SYSTEMS

Make sure the fans can hear every announcement and get the crowds on their feet with a Sportsound® indoor audio system. Choose one of the standard options below, or contact Daktronics to create a custom system to fit your venue.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)


SSN-250

H: 4'-7" 1397 mm* **W: 3'-4"** 1016 mm **D: 2'-11"** 889 mm

The Sportsound 250 indoor system provides audio for a variety of mid-sized indoor gymnasiums. The single-point system can be mounted directly to the ceiling structure. This system's speakers allow horizontal or vertical adjustment. Positioned in the middle of a gymnasium, this sound system provides even coverage and overcomes crowd noise.

This system is available in either white or black speaker clusters.

NOTE: Dimensions may change depending on speaker adjustment angles.




SSN-150

H: 8' 2438 mm **W: 2'** 610 mm **D: 1'-5"** 432 mm


The Sportsound 150 indoor sound system provides audio for a variety of small indoor gymnasiums. The single-point system is permanently wall-mounted with speakers adjusting horizontally and vertically. Durable sound cabinets protect internal speaker components from air-filled sport balls. Providing even coverage throughout the gymnasium, everyone will hear crystal-clear music and announcements.



COVERAGE PATTERNS



SSN-250



SSN-150

AMPLIFY YOUR EVENTS

For more information on Daktronics audio products, visit daktronics.com/audio.



Brookings High School Brookings, SD | SSP-100

NEW SSP-100

H: 18.25" 464 mm **W: 18.25"** 464 mm **D: 15"** 381 mm

Take this portable speaker system to any venue and add excitement to every event. It is designed to provide high speech intelligibility and reproduce full-range music wherever needed, indoors or out. The built-in amplifier offers Bluetooth® wireless technology to connect to smart phones, tablets, or laptops while XLR inputs allow wired connection to included microphone as well as Daktronics audio control racks.



"Having a good sound system has made such a difference for our gym. The clear sound quality has enhanced everything we do. Assemblies, guest speakers, graduation, dance/cheer routines and game time PA announcements have all benefited dramatically with the addition of our new Daktronics Sound System."

-Jason McConnell, video board operator, Waunakee High School, Waunakee, WI



DISPLAYS & CONTROL SYSTEMS

Keep fans by the pool entertained with Daktronics LED video displays and keep them up to date with simple timing control.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

VIDEO DISPLAYS

- › Display crisp, clear video with numerous event results configurations
- › Generate revenue through sponsorship
- › Promote future events
- › Fit any budget or facility with a wide range of available models
- › Built to withstand humid environments

LN	PL	NAME	SCHOOL	TIME
1	4	Ryan Webb	ANHA	34.86
2	7	Dylan Mathews	AHS	38.08
3	1	Matt Becic	ANHA	30.90
4	2	Hans Walker	RHS	32.90
5	3	John Olson	KHS	34.35
6	8	Jack Mayer	THS	38.12
7	6	Dan Jons	BHS	37.66
8	5	Sam Wess	RHS	35.66


OMNISPORT® 2000E TIMING CONSOLE

- › Select from 3 timing modes depending on the event: by lane, by place or by non-lane
- › Time up to 10 lanes
- › Print race results with built-in thermal printer
- › Refer to page 75 for more information on the OmniSport® 2000e console



WEATHER-SEALED DIGITS

Daktronics weather-sealed digits have a 1/8 inch (3mm) layer of weather-tight silicone gel applied to the front and back of the digits. This gel completely seals out moisture, creating an unmatched resistance for indoor and outdoor pool environments.



SCORING & TIMING EQUIPMENT

For more information on Daktronics aquatics products, visit daktronics.com/aquatics.



LANE	PLACE	TIME	LANE	PLACE	TIME
1	8	15:12.63	5	1	14:47.80
2	6	15:01.39	6	3	14:50.76
3	5	14:56.24	7	4	14:52.31
4	2	14:48.17	8	7	15:03.02

SW-2218 swimming mode

TIME	HOME	PER	SHOT	TIME	GUEST	JUDGE SCORE	JUDGE SCORE
3:58.00	0.00	2	0:30.00	0.00	9.0	0.00	9.5
10:00.00	0.00	0	18:00.00	0.00	10.0	0.00	58.00
20:00.00	0.00	0	28:00.00	0.00	8.5	2.1	1:31.40

SW-2218 water polo mode

SW-2218 diving mode



HS-200 Horn Start



T-7000 series touchpads

TIMING EQUIPMENT

HS-200 HORN START

- › Signal start tones and make announcements loudly and clearly
- › Wireless microphone technology increases freedom of movement with reduced interference

T-7000 SERIES TOUCHPADS

- › Record each leg of the race with these highly sensitive yet durable touchpads

PRO SWIMMING SOFTWARE

- › Interfaces with Hy-Tek™ Meet Manager software to request data directly
- › Facilities with multiple events can easily identify which console is connected with Ethernet connectivity






VIDEO SCORERS TABLES

Display video clips, animations, advertisements and real-time scores and stats in 281 trillion colors all while providing your scoring team with all the outlets and conveniences they need.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



NUMBER OF TABLES	PIXEL SPACING	RESOLUTION
1	3.9 mm	192 x 768
	5.9 mm	126 x 504
2	3.9 mm	192 x 1536
	5.9 mm	126 x 1008
3	3.9 mm	192 x 2304
	5.9 mm	126 x 1512
4	3.9 mm	192 x 3072
	5.9 mm	126 x 2016



ST-3130

- 1 TABLE:** H: 3' 914mm W: 10.26' 3.13m D: 2.7' 823mm
- 2 TABLES:** H: 3' 914mm W: 20.1' 6.13m D: 2.7' 823mm
- 3 TABLES:** H: 3' 914mm W: 29.94' 9.13m D: 2.7' 823mm
- 4 TABLES:** H: 3' 914mm W: 39.78' 12.12m D: 2.7' 823mm

Use a single table, or connect 2, 3, or 4 tables end-to-end to fit your court. The width shown includes the removable side padding, which adds five inches.

CONVENIENCE & SAFETY FEATURES

All Daktronics scorers tables feature convenience power outlets and USB ports for laptops or other electronic devices, built-in cup holders to prevent spills, protective padding with a choice of 26 colors, and retractable castors for quick and secure setup. Side padding is removable; just lift off the padding and use the locking latches to seamlessly connect multiple tables.



STATIC SCORERS TABLES

A durable polycarbonate face sheet protects the courtside face, and protective padding keeps players from harm.



ST-3170-5

ST-3170-10 with optional possession indicator and light strip



24" (610mm) Countertop

Retractable Wheels



Outlets & Network Connections

ST-3170

- ST-3170-5:** H: 3' 914mm W: 5.33' 1.63m D: 2.7' 823mm
- ST-3170-10:** H: 3' 914mm W: 10.26' 3.13m D: 2.7' 823mm

Display team and sponsor graphics on the court with an LED backlit face.

ADDITIONAL FEATURES & BENEFITS

The options and features below apply to video and static tables.

ADJUSTABLE FACE TILT

Scorers tables ship with a standard 5° face tilt, but this angle is adjustable from 0° to 15°, typically to reduce the glare picked up by TV cameras.

24" STANDARD COUNTERTOP

Even the tallest people will have plenty of legroom and workspace.

RETRACTABLE WHEELS

Retractable wheels and foldable countertop allow for easy transport while still providing a stable surface once set in place.

OUTLETS & NETWORK CONNECTIONS

After plugging in laptops and cell phone chargers, keep all cords organized and out of the way using the cable tray under the top pad.

POSSESSION INDICATOR

Display which team has possession of the next jump ball.

END-OF-PERIOD LIGHT STRIP

Highly visible light strip indicates end-of-period.



CENTERHUNG VIDEO DISPLAYS

Use a 2-sided or 4-sided video display to create a dynamic focal point in your gymnasium.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

LVN 5.19'x10.11' (4) + BB-2121 (4)

- › Show crowd prompts, exciting animations and statistical information
- › Video displays featured on four sides of a centerhung with choice of 3.9mm or 5.9mm resolution
- › Show essential game information at all times while adding excitement with video



LVN 6.83'x11.75' (4)

- › Show crowd prompts, exciting animations and statistical information
- › Video displays featured on four sides of a centerhung with choice of 3.9mm or 5.9mm resolution



LVN 6.83'x11.75' (2)

- › Show crowd prompts, exciting animations and statistical information
- › Video displays featured on two sides of a centerhung with choice of 3.9mm or 5.9mm resolution




ELECTRONIC CAPTION SCOREBOARDS

Quickly switch between sports with electronic captions. Display team and player fouls for basketball, sets won and match number for volleyball or points and weight class for wrestling.


BB-2155 | BB-2156

Digit size: 13" 330 mm, 10" 254 mm
 BB-2155: H: 6' 1829 mm W: 10' 3048 mm D: 6" 152 mm
 BB-2156: H: 6'-2" 1880 mm W: 12'-10" 3912 mm
 D: 12'-10" 3912 mm


- › Count down the Time Outs Left (T.O.L.)
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



Basketball mode—optional TNMCs shown




Volleyball mode



Wrestling mode



BB-2156 centerhung model



Optional TNMCs and T.O.L. digits shown




BB-2154 centerhung model

BB-2153 | BB-2154

Digit size: 13" 330 mm, 10" 254 mm, 7" 178 mm
 BB-2153: H: 6' 1829 mm W: 8' 2438 mm D: 6" 152 mm
 BB-2154: H: 6'-2" 1880 mm W: 10'-10" 3302 mm
 D: 10'-10" 3302 mm

- › Track T.O.L. with optional 7" digits
- › Celebrate team spirit or recognize a valued sponsor on changeable panels



Rock Ridge High School Ashburn, VA | BB-2123, SD-2102

TEAM STATISTICS SCOREBOARDS

Give your fans up-to-date team and player stats. Suspend a four-sided version of your scoreboard above the court for a great view of the action anywhere in the facility.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

TEAM SCORE SCOREBOARDS

Choose any model below for a great standalone scoreboard or as the perfect companion to a larger team statistics model.




Norwood High School Norwood, Missouri | BB-2101


BB-2123 | BB-2124

Digit size: 13" 330 mm, **10"** 254 mm, **7"** 178 mm
BB-2123: H: 6' 1829 mm **W: 10'** 3048 mm **D: 6"** 152 mm
BB-2124: H: 6'-2" 1880 mm **W: 12'-10"** 3912 mm **D: 12'-10"** 3912 mm

- › Count down the Time Outs Left (T.O.L.)
- › Display individual Player Points along with Fouls
- › Score numerous sports with optional caption icons
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2124 centerhung model



BB-2106 centerhung model

BB-2105 | BB-2106


Digit size: 13" 330 mm, **10"** 254 mm
BB-2105: H: 4' 1219 mm **W: 10'** 3048 mm **D: 6"** 152 mm
BB-2106: H: 4'-2" 1270 mm **W: 12'-10"** 3912 mm **D: 12'-10"** 3912 mm

- › Score up to 199 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels
- › Pair with BB-2123, BB-2107 or BB-2155

BB-2107 | BB-2108

Digit size: 13" 330 mm, **10"** 254 mm
BB-2107: H: 6' 1829 mm **W: 10'** 3048 mm **D: 6"** 152 mm
BB-2108: H: 6'-2" 1880 mm **W: 12'-10"** 3912 mm **D: 12'-10"** 3912 mm

- › Count down the T.O.L.
- › Score volleyball and wrestling with included Score/Match captions
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2108 centerhung model



BB-2121


Digit size: 10" 254 mm, **7"** 178 mm
H: 2'-6" 762 mm **W: 10'** 3048 mm **D: 6"** 152 mm

- › Score up to 199 points
- › Condensed design for venues with lower ceilings
- › Pair with BB-2125


BB-2125 | BB-2126

Digit size: 10" 254 mm, **7"** 178 mm
BB-2125: H: 4' 1219 mm **W: 10'** 3048 mm **D: 6"** 152 mm
BB-2126: H: 4'-2" 1270 mm **W: 12'-10"** 3912 mm **D: 12'-10"** 3912 mm

- › Score volleyball and wrestling with included Score/Match captions
- › Showcase identical information to the BB-2107 in a more compact design



BB-2126 centerhung model



BB-2102 centerhung model

BB-2101 | BB-2102


Digit size: 13" 330 mm, **10"** 254 mm
BB-2101: H: 4' 1219 mm **W: 8'** 2438 mm **D: 6"** 152 mm
BB-2102: H: 4'-2" 1270 mm **W: 10'-10"** 3302 mm **D: 10'-10"** 3302 mm

- › Score up to 199 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels
- › Pair with BB-2103 or BB-2153

BB-2103 | BB-2104

Digit size: 13" 330 mm, **10"** 254 mm, **7"** 178 mm
BB-2103: H: 6' 1829 mm **W: 8'** 2438 mm **D: 6"** 152 mm
BB-2104: H: 6'-2" 1880 mm **W: 10'-10"** 3302 mm **D: 10'-10"** 3302 mm

- › Track T.O.L. with optional 7" digits
- › Score volleyball and wrestling with included Score/Match captions
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2142

Digit size: 10" 254 mm, **7"** 178 mm
H: 3' 914 mm **W: 6'-6"** 1981 mm **D: 6"** 152 mm

- › Score up to 99 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2116         

Digit size: 18" 457 mm, 13" 330 mm
H: 4' 1219 mm **W:** 14' 4267 mm **D:** 6" 152 mm

- › Use as a primary display or combine with either of the below stats modules

BB-2116 & BB-2117

       
Digit size: 18" 457 mm, 13" 330 mm, 10" 254 mm
H: 7' 2134 mm **W:** 14' 4267 mm **D:** 6" 152 mm

- › Count down the Time Outs Left (T.O.L.)
- › Display team and player Fouls as well as individual Player Points
- › Score numerous sports with optional caption kits

BB-2116 & BB-2119   


Digit size: 18" 457 mm, 13" 330 mm
H: 7' 2134 mm **W:** 14' 4267 mm **D:** 6" 152 mm

- › Count down the T.O.L.
- › Display team and player Fouls
- › Score volleyball and wrestling with included Score/Match captions


MODULAR SCOREBOARDS

Decide what stats you want to show and make an impact with a large modular scoreboard.


[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



BB-2116



BB-2117




BB-2116


BB-2119

STATISTICS DISPLAYS

Track every player on the court for each team with electronic statistic displays.




SD-2103



SD-2102
 Volleyball mode with included volleyball captions shown

- PLYR ACES DIGS
- PLYR KILLS DIGS
- PLYR PENALTY
- H/G WEIGHT

Optional caption panels also available



SD-2101

- PLY FL PTS
- PLY PNLTY
- H-G WEIGHT

Basketball

Hockey

Wrestling

- PLY BL DIG
- PLY BL KLS
- PLY KL DIG
- PLY AC KLS
- PLY AC DIG

Volleyball



SD-2103     

Digit size: 7" 178 mm
H: 6' 1829 mm **W:** 4' 1219 mm **D:** 6" 152 mm

- › Showcase up to 6 players with 6 digits each
- › Score volleyball with included reversible caption

SD-2102     

Digit size: 7" 178 mm
H: 6' 1829 mm **W:** 3'-6" 1067 mm **D:** 6" 152 mm

- › Showcase up to 6 players with 5 digits each
- › Score volleyball with included reversible caption

SD-2101     

Digit size: 7" 178 mm
H: 6' 1829 mm **W:** 3'-6" 1067 mm **D:** 6" 152 mm

- › Showcase up to 5 players with 5 digits each

ELECTRONIC CAPTIONS

Replace the vinyl captions on your statistic displays with optional electronic captions to quickly change between sports.



SHOT CLOCKS & GAME TIMERS

Count down to the last second of shot time and capture every buzzer-beating moment with Daktronics basketball timers.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

TRANSPARENT SHOT CLOCKS

Keep the players and audiences informed. LED light strips around the perimeter of both sides of the display illuminate red when the shot clock horn sounds at 0.0. A hand-held start/stop/reset switch is included.



BB-2115

Digit size: 13" 330 mm, 7" 178 mm
H: 2'-4" 711 mm **W:** 2'-5" 737 mm **D:** 6" 152 mm

- › Display shot time and game time
- › Choose a multi-sided model to increase visibility

BB-2114

Digit size: 13" 330 mm
H: 1'-7" 483 mm **W:** 1'-10" 559 mm **D:** 6" 152 mm


- › Display shot time



BB-2114



BB-2115
 Two-sided model: BB-2109
 Three-sided model: BB-2111



BB-2160 with
 Light Strip activated

BB-2160

Digit size: 13" 330 mm, 7" 178 mm
H: 2'-6" 762 mm **W:** 2'-6" 762 mm **D:** 3.5" 89 mm

- › Display shot time and game time
- › At any time under 10 seconds, the shot clock can display 1/10th of a second on a full-size or smaller digit

TI-2103

Digit size: 7" 178 mm
H: 1' 305 mm **W:** 2'-5" 737 mm **D:** 6" 152 mm

- › Display game time



TI-2103



LTS-BB

END-OF-PERIOD LIGHTING

LTS-BB

- › Highly visible LED strips light up the backboard


TI-2031

Digit size: 4" 102 mm
H: 8" 203 mm **W:** 1'-3" 381 mm
Surface mt D: 3.25" 83 mm **Flush mt D:** 1.375" 35 mm

- › Show game time or time-of-day in locker rooms or hallways
- › Select from two mounting options



TI-2031



SCOREBOARDS & STATISTICS DISPLAYS

Bring scores to the mat and get the most out of your versatile displays.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

WR-2101

Digit size: 5" 127 mm
 WR-2101/WR-2102: H: 1'-9" 533 mm W: 2' 610 mm D: 7" 178 mm
 WR-2103: H: 1'-10" 559 mm W: 2'-3" 686 mm D: 2'-1" 635 mm

- Score basketball, volleyball and gymnastics with included captions
- Provide the best view of the match with single-, double- and triple-sided configurations

WR-2104

Digit size: 5" 127 mm
 WR-2104/WR-2105: H: 9" 229 mm W: 2' 610 mm D: 7" 178 mm
 WR-2106: H: 10" 254 mm W: 2'-3" 686 mm D: 2'-1" 635 mm

- Add this module to your wrestling scoreboard to display advantage time or team score
- Set on a tabletop or stand right on the mat with optional tripod

STATISTIC DISPLAYS

- Display winners and points scored for up to 10 weight classes (on SD-2101, shown) or 12 weight classes (on SD-2102, SD-2103)
- Swap the vinyl captions for optional electronic captions to quickly change to different sports



One-sided model: WR-2101
 Two-sided model: WR-2102
 Three-sided model: WR-2103




Gymnastics mode
 optional event placards shown



One-sided model: WR-2104
 Two-sided model: WR-2105
 Three-sided model: WR-2106




WR-2103 with WR-2106
 on optional tripod



SD-2101
 Optional wrestling captions shown

MODULAR SCOREBOARDS

Mix and match hockey scoreboards and modules to create a custom display that suits your scoring needs.



H-2101
H-2102
H-2102

H-2101 & H-2102

Digit size: 18" 457 mm, 13" 330 mm
 H: 8' 2438 mm W: 14' 4267 mm D: 6" 152 mm

- Showcase up to 2-player penalty times from each team with their jersey numbers on the scoreboard

H-2103	H-2111	H-2103
H-2102	H-2102	

H-2111, H-2102 & H-2103

Digit size: 13" 330 mm, 10" 254 mm
 H: 8' 2438 mm W: 14' 4267 mm D: 6" 152 mm

- Add Shots on Goal to each side of the scoreboard with player penalty times underneath
- Celebrate team spirit or recognize a valued sponsor on the scoreboard face

H-2103	H-2115	H-2111	H-2115	H-2103
--------	--------	--------	--------	--------

H-2111, H-2115 & H-2103

Digit size: 13" 330 mm, 10" 254 mm
 H: 4' 1219 mm W: 22' 6706 mm D: 6" 152 mm

- Add penalty times to each side of the scoreboard with Shots on Goal arranged horizontally for low ceilings
- Celebrate team spirit or recognize a valued sponsor on the scoreboard face



PLAYER/PENALTY SCOREBOARDS

Track critical game stats as well as up to 4 individual player penalty times. Indicate team penalty with optional LED arrows.

TEAM SCORE SCOREBOARDS

Display the game time, team score and period, or combine with modular scoreboards for added statistical capability and flexibility.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



H-2104 | H-2105

Digit size: 10" 254 mm, 7" 178 mm
H-2104: H: 5' 1524 mm W: 10' 3048 mm D: 6" 152 mm
H-2105: H: 5'-2" 1575 mm W: 12'-10" 3912 mm
 D: 12'-10" 3912 mm

- › Track Shots on Goal for both teams
- › Display player jersey number with penalty times
- › Celebrate team spirit or recognize a valued sponsor on a changeable panel



H-2105 centerhung model



H-2101

Digit size: 18" 457 mm, 13" 330 mm
H: 4' 1219 mm **W:** 14' 4267 mm **D:** 6" 152 mm

- › Large digits ensure every fan has a view of the action



H-2106 | H-2107

Digit size: 10" 254 mm, 7" 178 mm
H-2106: H: 5' 1524 mm W: 10' 3048 mm D: 6" 152 mm
H-2107: H: 5'-2" 1575 mm W: 12'-10" 3912 mm
 D: 12'-10" 3912 mm

- › Display player jersey number with penalty times
- › Celebrate team spirit or recognize a valued sponsor on a changeable panel



H-2107 centerhung model



H-2112 centerhung model

H-2111 | H-2112

Digit size: 13" 330 mm, 10" 254 mm
H-2111: H: 4' 1219 mm W: 8' 2438 mm D: 6" 152 mm
H-2112: H: 4'-2" 1270 mm W: 10'-10" 3302 mm
 D: 10'-10" 3302 mm

- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels

GOAL LIGHTS

Goal lights may be mounted to protective glass around the rink or to a 1" (25 mm) pipe (not included). Press the goal judge switch to alert fans of each goal.

PRO MODEL

H: 10" 254 mm W: 2'-6" 762 mm D: 7" 178 mm

- › Signal goals with 2 rotating red beacons and indicate end-of-period with green lamp



Pro model



Varsity model

VARSITY MODEL

H: 10" 254 mm W: 2'-6" 762 mm D: 6" 152 mm

- › Signal goals with red lamp and indicate end-of-period with green lamp



Brentwood High School, Brentwood, Missouri | 5.9mm 336 x 924, DA-1500

INDOOR TRUSS & PIPING

Lightweight aluminum truss and piping provide yet another way of making a display your own. Vary the number, length and spacing of the decorative elements for endless combinations.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



DA-1500

- › Connect displays for a uniform structural appearance
- › Add a flourish above or below the display
- › Choose from a variety of lengths

DA-1501

- › Frame the display or connect multiple pieces with diagonal truss
- › Get more space for team logos and lettering
- › Choose from a variety of lengths




Mattawan HS, Mattawan, Michigan | 6mm 288 x 432, BB-2121, Custom Accent

MAKE IT YOUR OWN

Customize your look with an accent that features your school name, logo or mascot.

DA-1502

- › Frame the display or connect multiple pieces with cross truss
- › Get more space for team logos and lettering
- › Choose from a variety of lengths



CUSTOM DOME ACCENT OPTIONS

- › Other designs are often requested. We can create a custom look to make your project stand out.



OUTDOOR PRODUCTS

From scoreboards and timers to video displays and audio solutions, Daktronics has the right combination to inform and entertain your students, parents and beyond.

- 41 Outdoor Video
- 46 Outdoor Control
- 48 Outdoor Audio
- 50 Baseball Scoring
- 58 Football Scoring
- 66 Track Scoring
- 68 Lacrosse Scoring
- 69 Soccer Scoring
- 72 Outdoor Accents

- 74 Control Consoles
- 76 Timing Displays
- 78 Sport Modes
- 86 Scoreboard Index
- 88 Accent Index

“The possibilities are limitless for what the students can create and what your staff can do. You can put anything you want up there.”
 —Joey Struwe, Activities Director, Lincoln High School, Sioux Falls, SD



TRENDSETTING FOOTBALL SYSTEMS



OUTDOOR VIDEO DISPLAYS

TRADITIONAL & HD LED TECHNOLOGY

A video display cranks up the excitement of any event, with statistics, interactive prompts and sponsor promotions. Our through-hole LED video display is specially designed to provide excellent image and video quality in moderate to long viewing distances.

The HD pixel layout on the 13mm and 15mm has fewer LEDs than the traditional layout of the 16mm, reducing overlap and creating more black space on the display face. This means the HD layout provides similar lines of resolution with better contrast.

Talk to your Daktronics sales rep about how to determine the right size, resolution and control system for your stadium.



Jackson High School Jackson, Michigan | 15mm 288 x 504, SSD-1500

[CLICK TO SEE ONLINE SPECS!](#)

CABINET SIZE HEIGHT x WIDTH		16MT		15HD		13HD	
FEET	METERS	ROWS	COLS	ROWS	COLS	ROWS	COLS
7.2 x 13.2	2.19 x 4.02	132	242	-	-	-	-
7.2 x 18	2.19 x 5.49	132	242	-	-	-	-
7.2 x 25	2.19 x 7.62	132	242	-	-	-	-
7.2 x 32	2.19 x 9.75	132	242	-	-	-	-
7.2 x 36	2.19 x 10.97	132	242	-	-	-	-
8.4 x 14.4	2.56 x 4.39	154	264	-	-	-	-
8.4 x 18	2.56 x 5.49	154	264	-	-	-	-
8.4 x 25	2.56 x 7.62	154	264	-	-	-	-
8.4 x 32	2.56 x 9.75	154	264	-	-	-	-
8.4 x 36	2.56 x 10.97	154	264	-	-	-	-
9.6 x 16.8	2.93 x 5.12	176	308	-	-	-	-
9.6 x 18	2.93 x 5.49	176	308	-	-	-	-
9.6 x 25	2.93 x 7.62	176	308	-	-	-	-
9.6 x 32	2.93 x 9.75	176	308	-	-	-	-
9.6 x 36	2.93 x 10.97	176	308	-	-	-	-
10.8 x 19.2	3.29 x 5.85	198	352	-	-	-	-
10.8 x 25	3.29 x 7.62	198	352	-	-	-	-
10.8 x 32	3.29 x 9.75	198	352	-	-	-	-
10.8 x 36	3.29 x 10.97	198	352	-	-	-	-
12 x 21.6	3.66 x 6.58	220	396	-	-	-	-
12 x 25	3.66 x 7.62	220	396	-	-	-	-
12 x 32	3.66 x 9.75	220	396	-	-	-	-
12 x 36	3.66 x 10.97	220	396	-	-	-	-
13.2 x 24	4.02 x 7.32	242	440	264	480	308	560
13.2 x 25	4.02 x 7.62	242	440	264	480	308	560
13.2 x 32	4.02 x 9.75	242	440	264	480	308	560
13.2 x 36	4.02 x 10.97	242	440	264	480	308	560
14.4 x 25.2	4.39 x 7.68	264	462	288	504	336	588
14.4 x 32	4.39 x 9.75	264	462	288	504	336	588
14.4 x 36	4.39 x 10.97	264	462	288	504	336	588
15.6 x 27.6	4.75 x 8.41	286	506	312	552	364	644
15.6 x 32	4.75 x 9.75	286	506	312	552	364	644
15.6 x 36	4.75 x 10.97	286	506	312	552	364	644
16.8 x 30	5.12 x 9.14	308	550	336	600	392	700
16.8 x 32	5.12 x 9.75	308	550	336	600	392	700
16.8 x 36	5.12 x 10.97	308	550	336	600	392	700
18 x 32.4	5.49 x 9.88	330	594	360	648	420	756
18 x 36	5.49 x 10.97	330	594	360	648	420	756
19.2 x 33.6	5.85 x 10.24	352	616	384	672	448	784
19.2 x 36	5.85 x 10.97	352	616	384	672	448	784
20.4 x 36	6.22 x 10.97	374	660	408	720	476	840
21.6 x 38.4	6.58 x 11.7	396	704	432	768	504	896
22.8 x 40.8	6.95 x 12.44	418	748	456	816	532	952
24 x 43.2	7.32 x 13.17	440	792	480	864	560	1008
25.2 x 44.4	7.68 x 13.53	462	814	504	888	588	1036
26.4 x 46.8	8.05 x 14.26	484	858	528	936	616	1092



Louisville High School Louisville, Ohio | 10mm 432 x 756, SSD-1500

SURFACE MOUNT DISPLAY LED TECHNOLOGY

Surface mount displays (SMDs) bring stunning high-resolution quality to your outdoor stadium. Designed to provide excellent image and video quality both close up and far away, SMDs feature a broad color depth, and the contrast-enhancing louvers trap light to protect the LEDs from intense sunlight. Consider the SMD displays if your minimum viewing distance is less than 120 feet.

Talk to your Daktronics sales rep about how to determine the right size, resolution and control system for your stadium.

CABINET SIZE HEIGHT x WIDTH

[CLICK TO SEE ONLINE SPECS!](#)

10SMD

FEET		METERS		ROWS	COLS
7.2	x 13.2	2.19	x 4.02	216	x 396
7.2	x 18	2.19	x 5.49	216	x 396
7.2	x 25	2.19	x 7.62	216	x 396
7.2	x 32	2.19	x 9.75	216	x 396
7.2	x 36	2.19	x 10.97	216	x 396
8.4	x 14.4	2.56	x 4.39	252	x 432
8.4	x 18	2.56	x 5.49	252	x 432
8.4	x 25	2.56	x 7.62	252	x 432
8.4	x 32	2.56	x 9.75	252	x 432
8.4	x 36	2.56	x 10.97	252	x 432
9.6	x 16.8	2.93	x 5.12	288	x 504
9.6	x 18	2.93	x 5.49	288	x 504
9.6	x 25	2.93	x 7.62	288	x 504
9.6	x 32	2.93	x 9.75	288	x 504
9.6	x 36	2.93	x 10.97	288	x 504
10.8	x 19.2	3.29	x 5.85	324	x 576
10.8	x 25	3.29	x 7.62	324	x 576
10.8	x 32	3.29	x 9.75	324	x 576
10.8	x 36	3.29	x 10.97	324	x 576
12	x 21.6	3.66	x 6.58	360	x 648
12	x 25	3.66	x 7.62	360	x 648
12	x 32	3.66	x 9.75	360	x 648
12	x 36	3.66	x 10.97	360	x 648
13.2	x 24	4.02	x 7.32	396	x 720
13.2	x 25	4.02	x 7.62	396	x 720
13.2	x 32	4.02	x 9.75	396	x 720
13.2	x 36	4.02	x 10.97	396	x 720
14.4	x 25.2	4.39	x 7.68	432	x 756
14.4	x 32	4.39	x 9.75	432	x 756
14.4	x 36	4.39	x 10.97	432	x 756
15.6	x 27.6	4.75	x 8.41	468	x 828
15.6	x 32	4.75	x 9.75	468	x 828
15.6	x 36	4.75	x 10.97	468	x 828
16.8	x 30	5.12	x 9.14	504	x 900
16.8	x 32	5.12	x 9.75	504	x 900
16.8	x 36	5.12	x 10.97	504	x 900
18	x 32.4	5.49	x 9.88	540	x 972
18	x 36	5.49	x 10.97	540	x 972
19.2	x 33.6	5.85	x 10.24	576	x 1008
19.2	x 36	5.85	x 10.97	576	x 1008
20.4	x 36	6.22	x 10.97	612	x 1080
21.6	x 38.4	6.58	x 11.7	648	x 1152
22.8	x 40.8	6.95	x 12.44	684	x 1224
24	x 43.2	7.32	x 13.17	720	x 1296

NOTE: When considering video display technology, be sure your content plays seamlessly by comparing the processing capabilities. Daktronics uses a 22-bit distributed processing method with 16 bits dedicated to color processing, ensuring pristine image quality.



Mountain View High School Meridian, Idaho | 16mm 220 x 440, SS-1500HD

GO DIGITAL

Our Go Digital Upgrade Package allows you to replace your scoreboard with a cost-effective video solution that enhances entertainment, increases student education and maximizes revenue. Take your school from a traditional scoreboard to a video display with the lowest possible investment.

CABINET SIZE HEIGHT x WIDTH


FEET		METERS		19.8MT		15.85MT	
ROWS	COLS	ROWS	COLS	ROWS	COLS	ROWS	COLS
3.67	x 9.42	1.12	x 2.87	48	x 140	60	x 175
3.67	x 10.67	1.12	x 3.25	48	x 160	60	x 200
4.67	x 8.08	1.42	x 2.46	64	x 120	80	x 150
4.67	x 10.67	1.42	x 3.25	64	x 160	80	x 200
4.67	x 13.25	1.42	x 4.04	64	x 200	80	x 250
5.75	x 9.42	1.75	x 2.87	80	x 140	100	x 175
5.75	x 10.67	1.75	x 3.25	80	x 160	100	x 200
5.75	x 13.25	1.75	x 4.04	80	x 200	100	x 250
5.75	x 15.92	1.75	x 4.85	80	x 240	100	x 300
6.75	x 10.67	2.06	x 3.25	96	x 160	120	x 200
6.75	x 15.92	2.06	x 4.85	96	x 240	120	x 300
6.75	x 19.75	2.06	x 6.02	96	x 300	120	x 375
6.75	x 23.67	2.06	x 7.21	96	x 360	120	x 450

16MT 10sMD

16MT		10sMD	
ROWS	COLS	ROWS	COLS
7.2	x 18	132	x 330
7.2	x 25	132	x 440
8.4	x 18	154	x 330
8.4	x 25	154	x 440
9.6	x 18	176	x 330
9.6	x 25	176	x 440
12	x 18	220	x 330
12	x 25	220	x 440

NOTE: The 8 sizes above are specialized to fit an existing scoreboard structure.


POPULAR LAYOUT EXAMPLES




132 X 330
Active Area: 7.2' X 18'



154 X 330
Active Area: 8.4' X 18'



154 X 440
Active Area: 8.4' X 24'



176 X 440
Active Area: 9.6' X 24'

PRE-RECORDED VIDEO



OUTDOOR VIDEO CONTROL

Create powerful content for every game and beyond. This easy-to-use software makes it simple to use every day – during gym class, athletic practices, pep rallies, movie night, graduation ceremonies and more.

ALWAYS ADVANCING AND EASY TO USE

Start with the simpler software, and upgrade with these options as your comfort level increases.

Video production system – Add special effects like slow motion, wipes, animated titles and more.

Daktronics statistics software – Easily manage game, season and career statistics at all levels of play. Enter live game statistics with the intuitive play-by-play entry mode, or use box mode for post-game stats entry.

“My classes are big on real world experience. This was a whole new aspect for the class. The students have direct contact with the sponsors. Student groups would reach out to them, find out what they wanted in their video and then create it for them.”

–Cameron Stevens, Video Production Teacher,
Timber Creek High School, Orlando, FL



SHOW CONTROL

Show Control is a software suite that makes game day easy. It includes Content Studio to create and edit content before and during the game, and Display Studio to play your content and live action with the touch of a button. It's compatible with All Sport® Pro and All Sport® 5000.

Ask your Daktronics sales representative for a demonstration.



ALL SPORT® PRO

All Sport Pro is the only software that provides scoring and video control from any singular device. Using a laptop or smart tablet, easily integrate with Show Control, and expand the functionality to multiple operators.



OUTDOOR AUDIO

Scoreboards and displays are vital, but audio quality is also crucial for player and fan experience in your outdoor stadium.

REACH THE CROWD

Daktronics offers Sportsound® audio systems in many coverage patterns. If you want to take your events to the next level, opt for a digital audio façade and stadium sound. Choose the system that fits your arena, or talk to your Daktronics rep about customizing your system.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



SSD-1500 | SS-1500HD

H: 6' 1829 mm W: 8' 2438 mm D: 3'-6" 1067 mm Matrix Size: 56 x 96

- › Suitable for facilities with an average maximum capacity of 8,000 fans
- › Broader coverage pattern and higher decibel rating than SS-500HD
- › Provides big sound in smaller venues
- › Ready to install right out of the box
- › SSD-1500 adds next-gen ProPixel® Freeform LED Sticks to the sound system
 - › Displays sponsor information to generate revenue
 - › Crowd prompts increase fan involvement
 - › Retrofit kit available for existing SS-1500HD



SSD-1500



SS-1500HD



SSD-2000



SS-2000HD

SS-500HD

H: 3' 914 mm W: 8' 2438 mm D: 3'-6" 1067 mm

- › Single-point system speakers adjust horizontally
- › Provides even coverage, overcoming crowd noise up to 15 rows high
- › Intelligible speech and full range music for in-game announcements and halftime events
- › Adjustable configurations for installation flexibility
- › Arrives fully assembled for minimal installation time



SSD-2000 | SS-2000HD

H: 6' 1829 mm W: 22' 6706 mm D: 3'-6" 1067 mm Matrix Size: 56 x 272

- › Largest standard sound system available
- › Provides high-impact sound for even coverage in any outdoor facility
- › Capability to overcome crowd noise
- › Single-point system fully assembled for easy installation and permanent placement
- › SSD-2000 adds next-gen ProPixel® Freeform LED Sticks to the sound system
 - › Synchronize audio and video for added excitement and sponsorship opportunities
 - › Able to quickly and easily change content
 - › Sealed element housing protects internal components from harsh conditions

NEW SSP-100

H: 18.25" 464 mm W: 18.25" 464 mm D: 15" 381 mm

Take this portable speaker system to any venue and add excitement to every event. It is designed to provide high speech intelligibility and reproduce full-range music wherever needed, indoors or out. The built-in amplifier offers Bluetooth® wireless technology to connect to smart phones, tablets, or laptops while XLR inputs allow wired connection to included microphone as well as Daktronics audio control racks.


SS-200

H: 18.25" 464 mm W: 18.25" 464 mm D: 15" 381 mm


- › Bring exceptional audio to even the smallest outdoor venue
- › Adjust horizontally and vertically to direct sound only where you want it
- › Durable cabinet protects speaker from weather, UV radiation and sports balls
- › Designed for use with 1-4 loudspeakers




COVERAGE PATTERNS




SS-200 (3)



SS-500HD



SS-1500HD



SS-2000HD



10-INNING LINE SCORE WITH PITCH SPEED

Track 10 innings worth of action, including total Runs, Hits and Errors for each team, and catch every blazing fastball with a 100+ MPH speed-of-pitch display.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

TIME	AT BAT	BALL	STRIKE	OUT	PITCH SPEED								
3:04	41	2	1	1	85								
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

BA-2029

Digit size: 24" 610 mm, 18" 457 mm
H: 9'-4" 2845 mm W: 36' 10973 mm D: 8" 203 mm

- › Display Time of Day or game clock along with batter number
- › Experience the most complete baseball scoring solution

BA-2028

Digit size: 24" 610 mm, 18" 457 mm
H: 9'-4" 2845 mm W: 36' 10973 mm D: 8" 203 mm

- › Choose At Bat, Hit/Error or Pitch Count caption
- › Track 100+ pitches for Home or Guest team
- › Make your pitcher the star of the show

BA-2127

Digit size: 18" 457 mm, 15" 381 mm
H: 7' 2134 mm W: 25' 7620 mm D: 8" 203 mm

- › Choose At Bat, Hit/Error or Pitch Count caption
- › Track Home or Guest pitches over 99 with optional 100s digit
- › Display the same stats of the BA-2028 in smaller form

PITCH SPEED

To display pitch speed, you'll need a radar gun system. Required for all scoreboards on this page and smaller pitch speed displays, the system uses a radar gun connected to an All Sport® 5000 controller to offer fans instant, accurate feedback on the speed of every pitch.



10-INNING LINE SCORE

Give a personal touch to your 10-inning scoreboard by selecting from numerous caption combinations to match your preferences.

PITCH COUNT AT BAT TIME	BALL	STRIKE	OUT	PITCH COUNT AT BAT H/E									
110	2	1	1	102									
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

Pitch Count captions shown
If Pitch Count is shown for both teams, Guest is on the left and Home is on the right

GUEST PITCHES PITCH COUNT TIME	BALL	STRIKE	OUT	HOME PITCHES PITCH COUNT AT BAT									
41	2	1	1	H									
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

BA-2026

Digit size: 24" 610 mm, 18" 457 mm
H: 9'-4" 2845 mm W: 36' 10973 mm D: 8" 203 mm

- › Choose from At Bat, Hit/Error, Pitch Count or Time captions
- › Track 100+ pitches for one or both teams

BA-2125

Digit size: 18" 457 mm, 15" 381 mm
H: 7' 2134 mm W: 25' 7620 mm D: 8" 203 mm

- › Choose from At Bat, Hit/Error, Pitch Count or Time captions
- › Track pitches for one or both teams over 99 with optional 100s digit
- › Display the same stats as the BA-2026 in smaller form

BA-2019

Digit size: 15" 381 mm, 10" 254 mm
H: 6' 1829 mm W: 20' 6096 mm D: 8" 203 mm

- › Choose from At Bat, Hit/Error, Pitch Count or Time caption
- › Track pitches for one or both teams over 99 with optional 100s digit
- › Get the most game information in the least amount of space



DID YOU KNOW?
Look for this icon to see if the scoreboard can accommodate mixed digits: display Ball, Strike, Out and Total Runs in a different LED color.



7-9 INNING LINE SCORE

Choose the number of innings that meets the needs of your league. Track runs for the top and bottom of every inning as well as total team score.

CLICK GRAPHICS TO SEE ONLINE SPECS!



BA-2022

BA-2035

BA-2030

Digit size: 18" 457 mm, 15" 381 mm
H: 6'-6" 1981 mm W: 20' 6096 mm D: 8" 203 mm

- Showcase 9 innings of runs
- Celebrate team spirit or recognize a valued sponsor on the scoreboard face
- Add the BA-2035 to count 100+ pitches for Home and Guest

BA-2005

Digit size: 18" 457 mm, 15" 381 mm
H: 6'-6" 1981 mm W: 20' 6096 mm D: 8" 203 mm

- Showcase 9 innings of runs
- Switch between current batter number, time or pitch count with reversible caption panel
- Add the BA-2035 to count 100+ pitches for Home and Guest

BA-2014

Digit size: 18" 457 mm, 15" 381 mm
H: 6'-6" 1981 mm W: 20' 6096 mm D: 8" 203 mm

- Showcase 8 innings of runs, ideal for softball
- Display cumulative hits and errors for each team
- Add the BA-2035 to count 100+ pitches for Home and Guest

BA-2022

Digit size: 15" 381 mm
H: 6'-6" 1981 mm W: 16' 4877 mm D: 8" 203 mm

- Showcase 7 innings of runs, ideal for softball



BA-2035

Digit size: 15" 381 mm
H: 6'-6" 1981 mm W: 3'-6" 1067 mm D: 8" 203 mm

- Add-on pitch count to 100+ for Home and Guest
- Pairs with any scoreboard on this page

TEAM SCORE WITH B/S/O DIGITS

Keep your fans informed of all the action with bold digits for innings, scores, balls, strikes and outs.



Plainview Elgin Milville HS Plainview, Minnesota | BA-1518

BA-1518

Digit size: 18" 457 mm
H: 8' 2438 mm W: 16' 4877 mm D: 8" 203 mm

- Score up to 19 innings
- Record total Runs, Hits and Errors
- Show which team is at the plate with At Bat indicators


BA-2017

Digit size: 18" 457 mm
H: 6' 1829 mm W: 14' 4267 mm D: 8" 203 mm

- Score up to 19 innings
- Choose from At Bat, Hit/Error, Time or Pitch Count* caption

*Requires AS-1600, AS-5000 or DAK Score

MOBILE SCORING




Look for this icon to see if the scoreboard is compatible with the DAK Score app or refer to the scoreboard index.





TEAM SCORE WITH B/S/O INDICATORS

Easily keep track of balls, strikes and outs, so fans and players never lose track of the count.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



BA-624   
Digit size: 24" 610 mm
H: 6' 1829 mm **W: 16'** 4877 mm **D: 8"** 203 mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › Ensure a great view from any seat with 24" digits

BA-618   
Digit size: 18" 457 mm
H: 5' 1524 mm **W: 14'** 4267 mm **D: 8"** 203 mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › Use as a compact alternative to the BA-624






BA-2718   
Digit size: 18" 457 mm
H: 5' 1524 mm **W: 10'** 3048 mm **D: 8"** 203 mm


- › Score up to 9 innings
- › Keep time with a two-digit clock
- › Choose At Bat, Hit/Error, Time or Pitch Count* caption

*Requires AS-1600, AS-5000 or DAK Score





BA-2618   
Digit size: 18" 457 mm
H: 5' 1524 mm **W: 10'** 3048 mm **D: 8"** 203 mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



SIMPLE SCORING SOLUTIONS

Highly visible digits coupled with simple, circular indicators ensure everyone knows the score.



BA-2518   
Digit size: 18" 457 mm
H: 4' 1219 mm **W: 9'** 2743 mm **D: 8"** 203 mm

- › Score up to 9 innings
- › Showcase essential game information with bold 18" digits

BA-2715   
Digit size: 15" 381 mm
H: 3' 914 mm **W: 9'** 2743 mm **D: 8"** 203 mm

- › Score up to 9 innings with 15" digits
- › Keep time with a two-digit clock
- › Choose At Bat, Hit/Error, Time or Pitch Count* caption

*Requires AS-1600, AS-5000 or DAK Score

BA-2515   
Digit size: 15" 381 mm
H: 3' 914 mm **W: 6'** 1829 mm **D: 8"** 203 mm

- › Score up to 9 innings with 15" digits
- › A popular seller for smaller fields

HANDHELD CONTROLLER



The RC-200 places wireless control in the palm of your hand. Instantly update the scoreboard from across the field. Look for this icon to see if the scoreboard is compatible with the RC-200 handheld controller or refer to the scoreboard index.



MULTI-SPORT

Versatility and reliability combine into the best value for facilities hosting multiple sports.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

MS-918

Digit size: 18" 457 mm, 15" 381 mm
H: 5' 1524 mm W: 14' 4267 mm D: 8" 203 mm

- › Indicate Ball, Strike, Out and Hit/Error
- › Switch between Inning or Period with reversible caption panel

MS-3918

Digit size: 18" 457 mm
H: 5' 1524 mm W: 10' 3048 mm D: 8" 203 mm

- › Indicate Ball, Strike, Out and Hit/Error
- › Display time-of-day or game clock
- › Switch between Inning or Period with reversible caption panel

MS-915


Digit size: 15" 381 mm
H: 4' 1219 mm W: 8' 2438 mm D: 8" 203 mm

- › Display time-of-day or game clock
- › Switch between Inning or Period with reversible caption panel
- › Celebrate team spirit or recognize valued sponsors on the scoreboard face

MS-2113

Digit size: 8" 203 mm
H: 2'-10" 864 mm W: 4'-4" 1321 mm D: 8" 203 mm

- › Score baseball with optional Ball, Strike and Out captions
- › Charge the internal batteries with smart charger for up to 14 hours of game play
- › Experience wireless freedom with RC-200 controller



Optional baseball captions shown

PITCH DISPLAYS

Showcase your pitching talent and complement your scoreboard with Daktronics pitch displays.




BA-2023




BA-2033



BA-2031



BA-2034



TI-2032



TI-2010

PITCH COUNT

BA-2023

Digit size: 15" 381 mm
H: 2' 610 mm W: 9' 2743 mm D: 8" 203 mm

- › Record total pitches thrown to 99 for both teams
- › ADPC-2023 displays fit the width of baseball scoreboards

BA-2033

Digit size: 15" 381 mm
H: 2' 610 mm W: 9' 2743 mm D: 8" 203 mm

- › Record total pitches thrown to 199 for both teams
- › ADPC-2033 displays fit the width of baseball scoreboards

BA-2031

Digit size: 18" 457 mm
H: 2' 610 mm W: 3' 914 mm D: 8" 203 mm

- › Record total pitches up to 99 for the team currently pitching
- › ADPC-2031 displays fit the width of baseball scoreboards

BA-2034

Digit size: 18" 457 mm
H: 2' 610 mm W: 4' 1219 mm D: 8" 203 mm

- › Record total pitches up to 199 for the team currently pitching
- › ADPC-2034 displays fit the width of baseball scoreboards

PITCH TIME

TI-2032

Digit size: 24" 610 mm
H: 2'-7" 787 mm W: 7' 2134 mm D: 8" 203 mm

- › Count down between two programmable time values for in between pitches or in between innings
- › Select time-of-day mode for added functionality
- › ADTI-2032 displays fit the width of baseball scoreboards

PITCH SPEED

TI-2010

Digit size: 18" 457 mm
H: 2' 610 mm W: 3' 914 mm D: 8" 203 mm

- › Count down game time with this two-digit clock
- › Display speed of pitch to 99 MPH



Grand Island HS Grand Island, NE | 16mm 336 x 600, Custom Scoring, SS-1500HD

SHOW MORE THAN THE SCORE

All scoreboard models on these pages are easy to pair with a video display. Show essential game information at all times while adding excitement with video.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

SCOREBOARDS + VIDEO DISPLAYS

Pair any of these scoreboards with a video display for added versatility and entertainment.



Saguaro HS Scottsdale, Arizona | 16mm, 176 x 440 MS-2029, ADTI-2003


NEW FB-2038
Digit size: 24" 610 mm, 18" 457 mm
H: 4' 1219 mm W: 36' 10973 mm D: 8" 203 mm



NEW FB-2037
Digit size: 24" 610 mm, 18" 457 mm
H: 4' 1219 mm W: 32' 9754 mm D: 8" 203 mm



NEW FB-2036
Digit size: 18" 457 mm, 15" 381 mm
H: 4' 1219 mm W: 25' 7620 mm D: 8" 203 mm



Optional QTR/HALF caption shown

MS-2032
Digit size: 30" 762 mm, 24" 610 mm
H: 5'-6" 1676 mm W: 32' 9754 mm D: 8" 203 mm

- › Add an optional electronic PERIOD caption to easily switch between sports
- › Combine with an LED video display for a universal scoring solution on your multi-sport field



Optional QTR/HALF caption shown

MS-2029
Digit size: 24" 610 mm, 18" 457 mm
H: 4'-6" 1372 mm W: 25' 7620 mm D: 8" 203 mm

- › Time track events to 1/100 of a second
- › Add an optional electronic PERIOD caption to easily switch between sports
- › Combine with an LED video display for a universal scoring solution on your multi-sport field



Optional QTR/HALF caption shown

MS-2028
Digit size: 24" 610 mm, 18" 457 mm
H: 4'-6" 1372 mm W: 25' 7620 mm D: 8" 203 mm

- › Add an optional electronic PERIOD caption to easily switch between sports
- › Combine with an LED video display for a universal scoring solution on your multi-sport field



Optional QTR/HALF caption shown

MS-2030
Digit size: 24" 610 mm, 18" 457 mm
H: 4'-6" 1372 mm W: 18' 5486 mm D: 8" 203 mm

- › Add an optional electronic PERIOD caption to easily switch between sports
- › Combine with an LED video display for a universal scoring solution on your multi-sport field



Plainfield High School Plainfield, Indiana | FB-2024

FB-2028

Digit size: 36" 914 mm, 24" 610 mm, 18" 457 mm
 H: 10' 3048 mm W: 36' 10973 mm D: 8" 203 mm

- › Create the focal point of your field with the largest standard football scoreboard

FB-2026

Digit size: 30" 762 mm, 24" 610 mm, 18" 457 mm
 H: 10' 3048 mm W: 32' 9754 mm D: 8" 203 mm

- › Count down the Time Outs Left
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

FB-2024

Digit size: 30" 762 mm, 24" 610 mm, 18" 457 mm
 H: 8' 2438 mm W: 32' 9754 mm D: 8" 203 mm

- › Count down the Time Outs Left
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

FB-2021

Digit size: 30" 762 mm, 24" 610 mm, 18" 457 mm
 H: 8' 2438 mm W: 25' 7620 mm D: 8" 203 mm

- › Display optional 18" Time Outs Left (T.O.L.) digits or colorful team/sponsor graphics on changeable panels

FB-2018



Digit size: 24" 610 mm, 15" 381 mm
 H: 8' 2438 mm W: 18' 5486 mm D: 8" 203 mm

- › Display optional 15" T.O.L. digits or colorful team/sponsor graphics on changeable panels

4-DIGIT CLOCK

Choose any of the scoreboards below for a great addition to fields that do not host track events.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)




Optional T.O.L. digits shown



Optional logo/sponsor panels shown

4-DIGIT CLOCK (CONTINUED)



Optional QTR/HALF caption shown



Union High School Camas, Washington | MS-2002

MS-2006

Digit size: 30" 762 mm, 24" 610 mm
 H: 6'-6" 1981 mm W: 25' 7620 mm D: 8" 203 mm

- › Combine with an LED video display for a universal scoring solution on your multi-sport field
- › Add an optional electronic PERIOD caption to easily switch between sports

MS-2002

Digit size: 24" 610 mm, 18" 457 mm
 H: 4'-6" 1372 mm W: 16' 4877 mm D: 8" 203 mm

- › Select Quarter, Period or Half caption for the primary sport, and use an optional reversible caption panel to change between 2 other sports
- › Add an optional electronic PERIOD caption to easily switch between sports

FB-824

Digit size: 24" 610 mm
 H: 4' 1219 mm W: 14' 4267 mm D: 8" 203 mm

- › Indicate current quarter
- › Expand scoring ability with optional Period/Half reversible caption panel

FB-4005

Digit size: 18" 457 mm
 H: 5' 1524 mm W: 10' 3048 mm D: 8" 203 mm

- › Indicate current quarter and down, and display distance to go
- › Score multiple sports with included Period caption panel
- › Sound the internal buzzer horn manually or automatically at the end of the quarter



Loos Athletic Complex Addison, Texas | FB-2021, TI-2034

TIMING AND PORTABLE DISPLAYS

Complement your overall scoring display and conduct practice sessions. Refer to pages 76-77 for additional football timing displays.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

TI-2034 | TI-2035

Digit size: 30" 762 mm **15"** 381 mm
H: 4'-9" 1448 mm **W: 5'** 1524 mm **D: 8"** 203 mm

- › Display Delay of Game, segment time or shot time for lacrosse
- › Upgradeable option for portable use
- › TI-2035 features 24" (610mm) and 10" (254mm) digits

TI-2003 | TI-2203

Digit size: 30" 762 mm
H: 3' 914 mm **W: 4'** 1219 mm **D: 8"** 203 mm

- › Display Delay of Game, segment time or shot time for lacrosse
- › Upgradeable option for portable use
- › TI-2203 is the battery-powered model

TI-2015 | TI-2215

Digit size: 24" 610 mm
H: 2'-4" 711 mm **W: 3'-4"** 1016 mm **D: 8"** 203 mm

- › Display Delay of Game, segment time or shot time for lacrosse
- › Upgradeable option for portable use
- › TI-2215 is the battery-powered model

TI-218

Digit size: 18" 457 mm
H: 2' 610 mm **W: 3'** 914 mm **D: 8"** 203 mm

- › Display Delay of Game, segment time or shot time for lacrosse
- › Upgrade power and signal for portable use

MS-2113

Digit size: 8" 203 mm
H: 2'-10" 864 mm **W: 4'-4"** 1321 mm **D: 8"** 203 mm


- › Run practice sessions with internal buzzer horn and segment timer mode
- › Charge the internal batteries with smart charger for up to 14 hours of game play
- › Experience wireless freedom with RC-200 controller



TI-2034



TI-2035



TI-2003 | TI-2203



TI-2015 | TI-2215



TI-218



Segment timer mode with optional caption



MS-2113

TRENDSETTING SYSTEMS

If you're not sure what type of display you want, here are a few of our most popular layouts. Choose the configuration that works best for your outdoor venue to engage fans.




Blair Oaks High School Blair Oaks, Missouri | 15HD 312 x 552, SS-500HD



See our Trendsetting Brochure for more options and details.



Or configure your own scoreboard with our Guided Stadium Experience.





DISPLAYS & TIMING SYSTEMS

Keep track and field fans informed and entertained with Daktronics LED video displays and timing systems.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)


PORTABLE TIMING DISPLAYS

Communicate times from anywhere around the track with a portable timing display.



VIDEO DISPLAYS

- › Showcase live video of each event as well as colorful animations and advertisements
- › Select a size and resolution that complements your scoreboard or makes a complete timing display on its own
- › Refer to pages 40-45 for more information on Daktronics video displays



OMNISPORT® 2000E TIMING CONSOLE

- › Select from 3 timing modes depending on the event: by lane, by place or by non-lane
- › Time up to 8 lanes with the track button interface
- › Print race results with built-in thermal printer
- › Refer to page 75 for more information on the OmniSport® 2000e console




THIRD-PARTY COMPATIBILITY

Integrate your display with FinishLynx®, Omega™ and Flash Timing photo finish timing systems for instant, accurate race results. Show start lists, full competitor names and team affiliations by interfacing with track meet management software.



FinishLynx® System




Hy-Tek Meet Manager



Running time



Competitor/Attempt Imperial performance Metric performance



TI-2021

Digit size: 10" 254 mm
H: 1'-6" 457 mm W: 5'-4" 1626 mm D: 6" 152 mm

- › Select from 10 separate timing functions using the built-in controls
- › Display competitor and performance information for field events with optional controller

TI-2020

Digit size: 10" 254 mm
H: 1'-2" 356 mm W: 4'-8" 1422 mm D: 6" 152 mm

- › Select from 10 separate timing functions using the built-in controls

TI-2022

Digit size: 7" 178 mm
H: 9" 229 mm W: 2' 610 mm D: 5" 127 mm

- › Select from 9 separate timing functions using the built-in controls
- › Built-in rechargeable battery lets you take it wherever it's needed
- › Choose an indoor or outdoor model



TRACK CAPTIONS

When you purchase any of the following scoreboards, track captions are included on changeable panels:

FB-2019, FB-2020, FB-2022, FB-2023 (shown), FB-2025, FB-2027, SO-2023



Henry Sibley HS Mendota Heights, MN | 15mm 264 x 480, MS-2029, SS-500HD

MULTISPORT SCOREBOARDS

Your field can probably handle more than one sport. Make sure your scoreboard can, too. Showcase up to 2 player penalty times from each team with their jersey numbers for lacrosse/field hockey.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)

MS-2027

Digit size: 24" 610 mm, 18" 457 mm
H: 10' 3048 mm W: 25' 7620 mm D: 8" 203 mm

- › Show penalty with arrow indicators
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face
- › Time track events to 1/100 of a second
- › Score football or soccer with optional caption panels
- › Also available as top-half-only, MS-2029

MS-2009

Digit size: 24" 610 mm, 18" 457 mm
H: 10' 3048 mm W: 25' 7620 mm D: 8" 203 mm

- › Show penalty with arrow indicators
- › Increase visibility and functionality with optional backlit or electronic captions
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face
- › Score football or soccer with optional caption panels
- › Also available as top-half-only, MS-2028

MS-2031




Digit size: 18" 457 mm, 15" 381 mm
H: 9' 2743 mm W: 18' 5486 mm D: 8" 203 mm

- › Show penalty with arrow indicators
- › Increase visibility and functionality with optional backlit or electric captions

MS-2024




Digit size: 10" 254 mm
H: 6' 1829 mm W: 10' 3048 mm D: 8" 203 mm

- › Display the same game and statistical information as scoreboards more than twice the size
- › Show penalty with circular indicators



TEAM STATISTICS SCOREBOARDS

Select a soccer scoreboard that meets the needs of your level of play.



Jacksonville State University Jacksonville, Alabama | SO-2043

SO-2043

Digit size: 24" 610 mm, 18" 457 mm
H: 8' 2438 mm W: 25' 7620 mm D: 8" 203 mm

- › Give fans the most complete soccer display with Shots, Saves, Corner Kicks and Fouls for each team
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

SO-2023

Digit size: 30" 762 mm, 24" 610 mm
H: 8' 2438 mm W: 25' 7620 mm D: 8" 203 mm

- › Display Shots and Corner Kicks (or Saves) for both teams
- › Time track events to 1/100 of a second
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

SO-2021

Digit size: 30" 762 mm, 24" 610 mm
H: 8' 2438 mm W: 25' 7620 mm D: 8" 203 mm

- › Display Shots and Corner Kicks (or Saves) for both teams
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

SO-2011

Digit size: 24" 610 mm, 18" 457 mm
H: 7'-6" 2286 mm W: 20' 6096 mm D: 8" 203 mm

- › Display Shots, Corner Kicks and Saves for both teams
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face




TEAM STATISTICS SCOREBOARDS (CONTINUED)

CLICK GRAPHICS TO SEE ONLINE SPECS!

SO-2019

Digit size: 24" 610 mm
H: 8' 2438 mm W: 18' 5486 mm D: 8" 203 mm

- › Display Shots and Corner Kicks (or Saves) for both teams



SO-2013

Digit size: 24" 610 mm, 18" 457 mm
H: 6' 1829 mm W: 16' 4877 mm D: 8" 203 mm

- › Display Shots and Corner Kicks (or Saves) for both teams



SO-2008


Digit size: 18" 457 mm
H: 5'-6" 1676 mm W: 16' 4877 mm D: 8" 203 mm

- › Display total shots for each team
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face




TEAM SCORE SCOREBOARDS

Choose any model below to display vital game information with flexibility for multi-sport facilities.



QTR PERIOD



Optional HALF/QTR caption shown



Optional HALF/INNING caption shown



Mona Shores High School Grand Rapids, Michigan | MS-2002

MS-2002

Digit size: 24" 610 mm, 18" 457 mm
H: 4'-6" 1372 mm W: 16' 4877 mm D: 8" 203 mm

- › Select Half, Period or Quarter caption for the primary sport, and use an optional reversible caption panel to change between 2 other sports

SO-918

Digit size: 18" 457 mm
H: 4' 1219 mm W: 12' 3658 mm D: 8" 203 mm

- › Score soccer or other sports with optional captions in place of Half

SO-2918

Digit size: 18" 457 mm
H: 5' 1524 mm W: 10' 3048 mm D: 8" 203 mm

- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

MS-915


Digit size: 15" 381 mm
H: 4' 1219 mm W: 8' 2438 mm D: 8" 203 mm

- › Add an optional, reversible Half/QTR caption panel
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

MS-2025

Digit size: 10" 254 mm
H: 3'-6" 1067 mm W: 6' 1829 mm D: 8" 203 mm

- › Add an optional, reversible Half/Inning caption panel
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



Arlington High School, Arlington, Oregon | 16mm 176 x 440, SS-500HD, DA-1008

OUTDOOR TRUSSES

Enhance the appearance of any outdoor display with a decorative truss. Trusses can be customized with metal graphics and lettering.

[CLICK GRAPHICS TO SEE ONLINE SPECS!](#)



DA-1001

- › Create visual interest with arch truss
- › Choose from 9 different lengths
- › Square truss is also available

DA-1006

- › Complement an SS-1500HD audio cabinet with arch truss
- › Choose from 7 different lengths
- › Square truss is also available



DA-1006 with SS-500HD

DA-1008


- › Complement an SS-500HD audio cabinet with arch truss
- › Choose from 7 different lengths
- › Square truss is also available



DA-1008 with SS-500HD

CLOCKS AND DOMES

Bring a classic feel to your scoring system with an analog clock, or add a decorative center dome or arch to the top of your scoreboard.



DA-1100 with DA-1004



City of Chaska, Chaska, Minnesota | BA-2026, DA-1205

DA-1100

- › Add a traditional clock to any display
- › Choose from 3 different clock sizes

DA-1205

- › Get the most space for mascots, images and school/team names
- › Choose from 10 different lengths
- › Smaller domes are available in the accent index

ARCHED ID PANELS

- › Display team, school or facility name, or recognize valued sponsors
- › Choose from 8 different widths to fit popular outdoor scoreboard sizes





DAK Score Tablet & Scoring Interface

ALL SPORT® CONSOLES

Daktronics All Sport® control consoles feature LCD screens to provide scoreboard operators with visual feedback. With the press of a button, you can change what's on the board without taking your eyes off the game.

CLICK GRAPHICS TO SEE ONLINE SPECS!

DAK SCORE

- › Get wireless control from a smartphone or tablet with Bluetooth® connection
- › Operate the scoreboard from anywhere in the stands or sidelines
- › Make training sessions more efficient with practice and segment timing on all scoring and timing models
- › Give access to anyone you choose for easy operation



ALL SPORT 5000

Weight: 7 lb 3 kg
H: 4.25" 108 mm **W: 16.25"** 413 mm **D: 9"** 229 mm

- › All Sport 5000 consoles are rugged, versatile units designed for intermediate to large scoring systems
- › Radio control is a popular upgrade



ALL SPORT 1600

Weight: 4 lb 2 kg
H: 4.25" 108 mm **W: 8.5"** 216 mm **D: 9"** 229 mm

- › This series of controllers is designed for basic scoring systems, with commonly used functions and a quick start guide printed right on the face
- › Radio control is a popular upgrade



RC-200

Weight: 0.4 lb 0.2 kg
H: 4.7" 119 mm **W: 2.7"** 69 mm **D: 1.2"** 30 mm

- › The smaller, battery-operated, handheld RC-200 offers complete wireless control for many smaller displays



SIMPLE, POWERFUL CONTROL

These control consoles include a time-of-day display mode, 1/10 of a second timing, radio control to eliminate the need for signal wire and memory retention in case of power loss.

NOTE: Battery packs and durable carrying cases are available.



AVAILABLE SPORTS

- › Baseball
- › Basketball
- › Football
- › Hockey
- › Lacrosse
- › Soccer
- › Softball
- › Tennis
- › Volleyball
- › Wrestling



Omnisport 2000e Control Console

OMNISPORT® 2000e

Weight: 14 lb 6 kg
H: 4.25" 108 mm **W: 20.5"** 521 mm **D: 9"** 229 mm

- › This aquatic timing console uses ethernet connectivity for simple setup. Multiple modes provide flexibility, and three backlit LCD screens display current race information, lane status and completed lengths for up to 10 lanes. Find out more at daktronics.com/aquaticsbrochure.

REMOTE START/STOP

- › These handheld units provide a convenient and easy way to operate game clocks and horns for various sports.

ALL SPORT CHARACTER GENERATOR (CG)

Weight: 0.4 lb 0.2 kg
H: 6" 152 mm **W: 4"** 102 mm **D: 1"** 25 mm

- › This lightweight portable device allows coaches and athletes to get more from their game film. Real-time scoring data overlays onto game footage, improving game evaluation.

CLICK GRAPHICS TO SEE ONLINE SPECS!

MODEL NUMBER stationary or portable indoor or outdoor	DIMENSIONS feet-inches (mm)	APPLICATION primary other	DIGITS		RADIO (optional)	HORN
			Size inches (mm)	LED Color		
BB-2114 stationary* indoor	H: 1'-7" (483) W: 1'-10" (559) D: 6" (152)	shot clock delay of game segment timer	13" (330)	Red	WiFi	Horn icon
BB-2115 stationary* indoor digit colors are fixed as shown	H: 2'-4" (711) W: 2'-5" (737) D: 6" (152)	shot clock delay of game segment timer	7" (178) 13" (330)	Red + Yellow	WiFi	Horn icon
PC-2001 portable indoor/outdoor battery-powered	H: 9" (229) W: 2' (610) D: 5" (127)	pace clock game clock shot clock time of day	7" (178)	Yellow	WiFi	Horn icon
PC-2002 stationary indoor wall or flush mounted	H: 8.5" (216) W: 2' (610) D: 2.5" (64)	pace clock segment timer game clock shot clock time of day	7" (178)	Yellow		Horn icon
TI-218 stationary* outdoor	H: 2' (610) W: 3' (914) D: 8" (203)	baseball timer speed of pitch delay of game segment timer lacrosse shot timer	18" (457)	Red, Yellow, White	WiFi	
TI-2002 portable indoor	H: 9" (229) W: 1'-8" (508) D: 4" (102)	segment timer locker room time of day	5" (127)	Red, Yellow		
TI-2003 TI-2203 stationary* outdoor battery-powered (TI-2203)	H: 3' (914) W: 4' (1219) D: 8" (203)	delay of game baseball timer speed of pitch segment timer lacrosse shot timer	30" (762)	Red, Yellow, White	WiFi	Horn icon (optional)
TI-2010 portable outdoor	H: 2' (610) W: 3' (914) D: 8" (203)	segment timer baseball timer delay of game speed of pitch	18" (457)	Red, Yellow, White	WiFi	Horn icon
TI-2012 portable outdoor	H: 3'-6" (1067) W: 5' (1524) D: 8" (203)	segment timer	15" (381) 18" (457)	Red, Yellow, White	WiFi	Horn icon
TI-2015 TI-2215 stationary* outdoor battery-powered (TI-2215)	H: 2'-4" (711) W: 3'-4" (1016) D: 8" (203)	segment timer baseball timer speed of pitch delay of game lacrosse shot timer	24" (610)	Red, Yellow, White	WiFi	Horn icon
TI-2019 stationary outdoor	H: 2' (610) W: 6' (1829) D: 8" (203)	pitch time segment timer time of day	18" (457)	Red, Yellow, White	WiFi	Horn icon (optional)

*Upgrade for portable use

HORN	RADIO (optional)	DIGITS		APPLICATION primary other	DIMENSIONS feet-inches (mm)	MODEL NUMBER stationary or portable indoor or outdoor
		Size inches (mm)	LED Color			
Horn icon (optional)	WiFi	10" (254)	Red, Yellow	track timing time of day	H: 1'-2" (356) W: 4'-8" (1422) D: 6" (152)	TI-2020 portable outdoor
Horn icon (optional)	WiFi	10" (254)	Red, Yellow	track timing field event time of day	H: 1'-6" (457) W: 5'-4" (1626) D: 6" (152)	TI-2021 portable outdoor
Horn icon	WiFi	7" (178)	Yellow	pace clock game clock time of day	H: 9" (229) W: 2' (610) D: 5" (127)	TI-2022 portable indoor/outdoor battery-powered
	WiFi	36" (914)	Red, Yellow, White	delay of game speed of pitch	H: 4'-6" (1372) W: 6' (1829) D: 8" (203)	TI-2024 stationary outdoor
		4" (102)	White	locker room segment timer time of day	H: 8" (203) W: 1'-3" (381) surface mt D: 3.25" (83) flush mt D: 1.375" (35)	TI-2031 stationary indoor wall or flush mounted
	WiFi	24" (610)	Red, Yellow, White	pitch time segment timer time of day	H: 2'-7" (787) W: 7' (2134) D: 8" (203)	TI-2032 stationary outdoor
Horn icon (optional)	WiFi	30" (762) 15" (381)	Red + Yellow or Red + White	delay of game segment timer	H: 4'-9" (1448) W: 5' (1524) D: 8" (203)	TI-2034 stationary* outdoor
Horn icon (optional)	WiFi	24" (610) 10" (254)	Red + Yellow or Red + White	delay of game segment timer	H: 3'-9" (1143) W: 3'-6" (1067) D: 8" (203)	TI-2035 stationary* outdoor
Horn icon	WiFi	13" (330)	Red, Yellow	segment timer time of day	H: 2' (610) W: 4' (1219) D: 6" (152)	TI-2101 stationary indoor
Horn icon	WiFi	13" (330)	Red, Yellow	time of day	H: 2'-6" (762) W: 5' (1524) D: 6" (152)	TI-2102 stationary indoor
	WiFi	7" (178)	Yellow	game timer	H: 1' (305) W: 2'-5" (737) D: 6" (152)	TI-2103 stationary indoor

*Upgrade for portable use

BASKETBALL

Scoreboards highlighted in gray indicate standard captions (with purchase).

	BB-2116 & BB-2117	BB-2116 & BB-2119	BB-2123, BB-2124*	BB-2107, BB-2108*	BB-2125, BB-2126*	BB-2103, BB-2104*	BB-2101, BB-2102* BB-2105*, BB-2106* BB-2121*	SD-2102, SD-2103*	SD-2101
Basketball Mode									
Football Mode									
Lacrosse Mode/ Hockey Mode									
Soccer Mode									
Tennis Mode									
Volleyball Mode									
Wrestling Mode									

*Model is not shown, but features similar scoring capabilities.

FOOTBALL

Scoreboards highlighted in gray indicate standard captions (with purchase).

FB-2027,
FB-2025*

FB-2026,
FB-2024*

FB-2023

FB-2022

FB-2021

FB-2036,
FB-2037*, FB-2038*

FB-2020


FB-2019

FB-2018





FB-824

FB-4005

Baseball Mode
(Clock)



Baseball Mode
(Inning/At Bat)



Football Mode





Lacrosse/
Field Hockey Mode



Soccer Mode



Track Mode
(Event – Heat)



Track Mode
(Guest 2 - Guest 3)



*Model is not shown, but features similar scoring capabilities.

MULTISPORT

Scoreboards highlighted in gray indicate standard captions (with purchase).

	MS-2027	MS-2009, MS-2031*	MS-2002, MS-2006*	MS-2028, MS-2029*, MS-2030*, MS-2032*	MS-918**	MS-2024	MS-3918**	MS-915**	MS-2025
Baseball Mode									
Football Mode									
Lacrosse/Field Hockey Mode									
Soccer Mode									
Track Mode									

* Model is not shown, but features similar scoring capabilities.
 ** Standard captions include INNING and PERIOD on reversible panel.

SOCCKER

Scoreboards highlighted in gray indicate standard captions (with purchase).

	SO-2023	SO-2021	SO-2019	SO-2013	SO-2008	SO-918, SO-2918*
Baseball Mode (Clock)						
Baseball Mode (Inning/At Bat)						
Football Mode						
Lacrosse/ Field Hockey Mode						
Soccer Mode						
Track Mode (Event - Heat)						
Track Mode (Guest 2 - Guest 3)						

*Model is not shown, but features similar scoring capabilities.
















Model	Watts ¹	Amps ^{1,2} (120 VAC)	Uncreated Weight ¹ lbs (kg)	Base Controller ³	RC-200 (optional) DAK Score	TNMC (optional)	Solar Power ⁴ (optional) Black in the Box Display	Page
BA-618	80	0.7	200 (91)	AS 1600	• •	-	•	54
BA-624	110	1.0	300 (136)	AS 1600	• •	-	•	54
BA-1518	190	1.6	400 (181)	AS 5000	•	8x32		53
BA-2005	260	2.2	600 (272)	AS 5000	•	8x32		52
BA-2014	280	2.4	600 (272)	AS 5000	•	8x32		52
BA-2017	140	1.2	216 (98)	AS 1600	• •	-	•	53
BA-2019	320	2.7	500 (227)	AS 5000	•	8x32		51
BA-2022	190	1.6	525 (238)	AS 5000	•	-		52
BA-2023	40	0.4	50 (23)	AS 1600	•	-	•	57
BA-2026	510	4.3	1680 (762)	AS 5000	•	8x48		51
BA-2028	510	4.3	1680 (762)	AS 5000	•	8x48		50
BA-2029	570	4.8	1680 (762)	AS 5000		8x48		50
BA-2030	230	2.0	600 (272)	AS 5000	•	8x32		52
BA-2031	30	0.3	16 (7)	AS 1600	•	-	•	57
BA-2033	50	0.5	50 (23)	AS 1600	•	-	•	57
BA-2034	40	0.4	25 (11)	AS 1600	•	-	•	57
BA-2035	50	0.5	115 (52)	AS 5000	•	-		52
BA-2125	360	3.0	875 (397)	AS 5000	•	8x32		51
BA-2127	360	3.0	875 (397)	AS 5000	•	8x32		50
BA-2515	60	0.5	60 (27)	AS 1600	• •	-	• •	55
BA-2518	80	0.7	96 (44)	AS 1600	• •	-	• •	55
BA-2618	80	0.7	115 (52)	AS 1600	• •	-	• •	54
BA-2715	80	0.7	75 (34)	AS 1600	• •	-	•	55
BA-2718	100	0.9	115 (52)	AS 1600	• •	-	•	54
BB-2101	150	1.3	120 (54)	AS 5000	• •	8x48	•	27
BB-2102	570	4.8	780 (354)	AS 5000	• •	8x48		27
BB-2103	210	1.8	180 (82)	AS 5000		8x48	•	26
BB-2104	820	6.9	1020 (463)	AS 5000		8x48		26
BB-2105	150	1.3	150 (68)	AS 5000	• •	8x48		27
BB-2106	570	4.8	900 (408)	AS 5000	• •	8x48		27
BB-2107	220	1.9	260 (118)	AS 5000		8x48		26
BB-2108	880	7.4	1200 (544)	AS 5000		8x48		26
BB-2109	100	0.9	45 (20)	AS 5000		-		30
BB-2111	140	1.2	65 (29)	AS 5000		-		30
BB-2114	30	0.3	15 (7)	AS 1600		-	•	30
BB-2115	50	0.5	30 (14)	AS 5000		-	•	30
BB-2116	190	1.6	210 (95)	AS 1600	•	8x48		28
BB-2117	150	1.3	160 (73)	AS 5000		-		28
BB-2119	100	0.9	160 (73)	AS 5000		-		28
BB-2121	110	1.0	95 (43)	AS 5000	• •	8x48		27
BB-2122	60	0.5	30 (14)	AS 1600	•	-	•	-

Model	Watts ¹	Amps ^{1,2} (120 VAC)	Uncreated Weight ¹ lbs (kg)	Base Controller ³	RC-200 (optional) DAK Score	TNMC (optional)	Solar Power ⁴ (optional) Black in the Box Display	Page
BB-2123	250	2.1	260 (118)	AS 5000		8x48		26
BB-2124	960	8.0	1220 (553)	AS 5000		8x48		26
BB-2125	140	1.2	150 (68)	AS 5000		8x48		26
BB-2126	550	4.6	900 (408)	AS 5000		8x48		26
BB-2142	110	1.0	90 (41)	AS 1600	• •	-		27
BB-2153	260	2.2	195 (88)	AS 5000		8x48		25
BB-2154	1020	8.5	1080 (490)	AS 5000		8x48		25
BB-2155	270	2.3	275 (125)	AS 5000		8x48		25
BB-2156	1080	9.0	75 (34)	AS 5000		8x48		25
BB-2160	228	1.9	1260 (572)	AS 5000		-		31
FB-824	140	1.2	200 (91)	AS 5000	• •	-	•	63
FB-2018	270	2.3	576 (261)	AS 5000	•	8x32		62
FB-2019	290	2.5	576 (261)	AS 5000	•	8x32		61
FB-2020	300	2.5	576 (261)	AS 5000	•	8x32		60
FB-2021	290	2.5	820 (372)	AS 5000	•	8x48		62
FB-2022	320	2.7	820 (372)	AS 5000	•	8x48		61
FB-2023	340	2.9	820 (372)	AS 5000	•	8x48		60
FB-2024	290	2.5	960 (435)	AS 5000	•	8x48		62
FB-2025	340	2.9	960 (435)	AS 5000	•	8x48		60
FB-2026	290	2.5	1200 (544)	AS 5000	•	8x48		62
FB-2027	340	2.9	1200 (544)	AS 5000	•	8x48		60
FB-2028	480	4.0	1460 (662)	AS 5000	•	8x48		62
FB-2036	190	1.6	400 (181)	AS 5000	•	8x48		58
FB-2037	250	2.1	480 (218)	AS 5000	•	8x48		58
FB-2038	250	2.1	576 (261)	AS 5000	•	8x48		58
FB-4005	140	1.2	115 (52)	AS 5000	• •	-	•	63
H-2101	170	1.5	210 (95)	AS 5000		8x48		35
H-2102	140	1.2	105 (48)	AS 5000		-		33
H-2103	30	0.3	45 (20)	AS 5000		-		33
H-2104	200	1.7	185 (84)	AS 5000		8x48		34
H-2105	780	6.5	1100 (499)	AS 5000		8x48		34
H-2106	180	1.5	185 (84)	AS 5000		8x48		34
H-2107	710	6.0	1100 (499)	AS 5000		8x48		34
H-2111	120	1.0	120 (54)	AS 5000		8x48		35
H-2112	470	4.0	780 (354)	AS 5000		8x48		35
H-2115	90	0.8	60 (27)	AS 5000		-		33
MS-915	80	0.7	88 (40)	AS 1600	• •	-	•	71
MS-918	130	1.1	265 (120)	AS 1600	• •	8x32		56
MS-2002	150	1.3	275 (125)	AS 1600	• •	8x32		71
MS-2006	190	1.6	560 (254)	AS 1600	• •	8x48		63
MS-2009	410	3.5	950 (431)	AS 5000		8x48		68

Model	Watts ¹	Amps ^{1,2} (120 VAC)	Uncreated Weight ¹ lbs (kg)	Base Controller ³	RC-200 (optional) DAK Score	TNMC (optional)	Solar Power ⁴ (optional) Black in the Box Display	Page
MS-2024	250	2.1	265 (120)	AS 5000		-		68
MS-2025	80	0.7	70 (32)	AS 1600	• •	-	•	71
MS-2027	450	3.8	950 (431)	AS 5000		8x48		68
MS-2028	170	1.5	427 (194)	AS 5000		8x48		59
MS-2029	200	1.7	427 (194)	AS 5000		8x48		59
MS-2030	170	1.5	308 (140)	AS 5000		8x32		59
MS-2031	300	2.5	616 (279)	AS 5000		8x32		68
MS-2032	200	1.7	660 (299)	AS 5000		8x48		59
MS-2113	300	2.5	150 (68)	RC 200	• •	-	•	64
MS-3918	130	1.1	115 (52)	AS 1600	• •	-	•	56
PC-2001	120	1.0	19 (9)	Internal		-	•	76
PC-2002	30	0.3	10 (5)	JC 100		-		76
SD-2101	110	1.0	80 (36)	AS 5000		8x48		29
SD-2102	130	1.1	90 (41)	AS 5000		8x48		29
SD-2103	150	1.3	100 (45)	AS 5000		8x48		29
SO-918	120	1.0	180 (82)	AS 1600	• •	-	•	71
SO-2008	170	1.5	300 (136)	AS 5000	•	8x32		70
SO-2011	300	2.5	600 (272)	AS 5000		8x48		69
SO-2013	240	2.0	450 (204)	AS 5000	•	-		70
SO-2019	280	2.4	576 (261)	AS 5000	•	8x32		70
SO-2021	330	2.8	820 (372)	AS 5000	•	8x48		69
SO-2023	370	3.1	820 (372)	AS 5000	•	8x48		69
SO-2043	350	3.0	1000 (454)	AS 5000		8x48		69
SO-2918	120	1.0	115 (52)	AS 1600	• •	-	•	71
SW-2218	490	4.1	400 (181)	OS 2000		-		21
TI-218	30	0.3	16 (7)	AS 1600	•	-	•	64
TI-2002	20	0.2	10 (5)	AS 1600		-		76
TI-2003	50	0.5	65 (29)	AS 1600	•	-	• •	64
TI-2010	30	0.3	30 (14)	AS 1600	•	-	•	57
TI-2012	70	0.6	130 (59)	AS 1600	•	-		76
TI-2015	40	0.4	36 (16)	AS 1600	•	-	•	64
TI-2019	60	0.5	40 (18)	AS 1600	•	-		76
TI-2020	60	0.5	50 (23)	Internal		-		67
TI-2021	70	0.6	60 (27)	AS 1600		-		67
TI-2022	120	1.0	19 (9)	Internal		-		67
TI-2024	90	0.8	140 (64)	AS 1600	•	-		77
TI-2031	40	0.4	4 (2)	AS 1600		-	•	30
TI-2032	80	0.7	60 (27)	AS 1600	•	-		57
TI-2034	80	0.7	95 (43)	AS 5000	•	-	•	64
TI-2035	70	0.6	55 (25)	AS 5000	•	-	•	64
TI-2101	60	0.5	35 (16)	AS 1600	•	-		77

NOTES:

- 1 Power requirements and weights shown are for the base scoreboard model; these values increase with white LEDs and options such as TNMCs and backlit captions.
- 2 240 VAC models are available for most scoreboards at half the indicated amperage (International Use Only).
- 3 This represents the minimum controller required for standard operation; upgrades are available on some models (AS 5000 or DAK Score is required for TNMCs).
- 4 Custom solar power systems are available for other scoreboards. Solar power performance will vary by season and location.

	MODEL	HEIGHT FEET(INCHES) (MM)	WIDTH FEET(INCHES) (MM)	DEPTH FEET(INCHES) (MM)	DIAMETER FEET(INCHES) (MM)	WEIGHT LBS (KG)	
Diagonal truss 	DA-1000-14	2' (610)	14' (4267)	3" (76)		110 (50)	
	DA-1000-16	2' (610)	16' (4877)	3" (76)		130 (59)	
	DA-1000-18	2' (610)	18' (5486)	3" (76)		150 (68)	
	DA-1000-20	2' (610)	20' (6096)	3" (76)		170 (77)	
	DA-1000-25	3' (914)	25' (7620)	3" (76)		315 (143)	
	DA-1000-27	2' (610)	27' (8230)	3" (76)		225 (102)	
	DA-1000-28	2' (610)	28' (8534)	3" (76)		235 (107)	
	DA-1000-32	4' (1219)	32' (9754)	3" (76)		535 (243)	
	DA-1000-36	3' (914)	36' (10973)	3" (76)		450 (204)	
	Arch truss  DA-1001  DA-1004 used w/ clocks	DA-1001/4-12	2' (610)	12' (3658)	3" (76)		120 (54)
DA-1001/4-14		3' (914)	14' (4267)	3" (76)		170 (77)	
DA-1001/4-15		3' (914)	15' (4572)	3" (76)		180 (82)	
DA-1001/4-16		3' (914)	16' (4877)	3" (76)		185 (84)	
DA-1001/4-18		3' (914)	18' (5486)	3" (76)		225 (102)	
DA-1001/4-20		3' (914)	20' (6096)	3" (76)		240 (109)	
DA-1001/4-25		4' (1219)	25' (7620)	3" (76)		340 (154)	
DA-1001/4-32		5' (1524)	32' (9754)	3" (76)		465 (211)	
DA-1001/4-36		5' (1524)	36' (10973)	3" (76)		500 (227)	
Diagonal truss w/ SS-1500HD 		DA-1005-25 ¹	4' (1219)	25' (7620)	3" (76)		300 (136)
	DA-1005-32 ¹	4' (1219)	32' (9754)	3" (76)		400 (181)	
	DA-1005-36 ¹	4' (1219)	36' (10973)	3" (76)		450 (204)	
Arch truss w/ SS-1500HD 	DA-1006-18 ¹	4' (1219)	18' (5486)	3" (76)		250 (113)	
	DA-1006-20 ¹	4' (1219)	20' (6096)	3" (76)		260 (118)	
	DA-1006-25 ¹	4' (1219)	25' (7620)	3" (76)		275 (125)	
	DA-1006-27 ¹	4' (1219)	27' (8230)	3" (76)		285 (129)	
	DA-1006-28 ¹	4' (1219)	28' (8534)	3" (76)		300 (136)	
	DA-1006-32 ¹	4' (1219)	32' (9754)	3" (76)		375 (170)	
	DA-1006-36 ¹	4' (1219)	36' (10973)	3" (76)		400 (181)	
Diagonal truss w/ SS-500HD 	DA-1007-25 ¹	3' (914)	25' (7620)	3" (76)		285 (129)	
	DA-1007-27 ¹	3' (914)	27' (8230)	3" (76)		315 (143)	
	DA-1007-32 ¹	3' (914)	32' (9754)	3" (76)		375 (170)	
	DA-1007-36 ¹	3' (914)	36' (10973)	3" (76)		425 (193)	
Arch truss w/ SS-500HD 	DA-1008-16 ¹	3' (914)	16' (4877)	3" (76)		225 (102)	
	DA-1008-18 ¹	3' (914)	18' (5486)	3" (76)		240 (109)	
	DA-1008-20 ¹	3' (914)	20' (6096)	3" (76)		250 (113)	
	DA-1008-25 ¹	3' (914)	25' (7620)	3" (76)		265 (120)	
	DA-1008-27 ¹	3' (914)	27' (8230)	3" (76)		275 (125)	
	DA-1008-32 ¹	3' (914)	32' (9754)	3" (76)		350 (159)	
	DA-1008-36 ¹	3' (914)	36' (10973)	3" (76)		375 (170)	
Clock 	DA-1100-4			8" (203)	4' (1219)	150 (68)	
	DA-1100-5			8" (203)	5' (1524)	200 (91)	
	DA-1100-6			8" (203)	6' (1829)	250 (113)	
Edged clock 	DA-1101-3			8" (203)	3' (914)	125 (57)	
	DA-1101-5			8" (203)	5' (1524)	210 (95)	
Scroll clock 	DA-1102-4			8" (203)	4' (1219)	200 (91)	
	DA-1102-6			8" (203)	6' (1829)	325 (147)	
Center dome 	DA-1200	1'-6" (457)	8' (2438)	8" (203)	12'-2" (3708)	36 (16)	
	DA-1201	2' (610)	6'-6" (1981)	8" (203)	7'-4" (2235)	44 (20)	
	DA-1202	2'-8" (813)	8'-10" (2692)	8" (203)	10' (3048)	71 (32)	
	DA-1203	4' (1219)	8' (2438)	8" (203)	8' (2438)	96 (44)	
	DA-1204	3' (914)	5'-6" (1676)	8" (203)	5'-6" (1676)	50 (23)	
	DA-1205-10	1'-6" (457)	10' (3048)	8" (203)		50 (23)	
	DA-1205-12	3' (914)	12' (3658)	8" (203)		120 (54)	
	DA-1205-14	4' (1219)	14' (4267)	8" (203)		145 (66)	
	DA-1205-16	2'-6" (762)	16' (4877)	8" (203)		150 (68)	
	DA-1205-18	3' (914)	18' (5486)	8" (203)		162 (73)	
Full dome 	DA-1205-20	3' (914)	20' (6096)	8" (203)		180 (82)	
	DA-1205-25	4' (1219)	25' (7620)	8" (203)		300 (136)	
	DA-1205-27	4' (1219)	27' (8230)	8" (203)		330 (150)	
	DA-1205-32	5' (1524)	32' (9754)	8" (203)		480 (218)	
	DA-1205-36	5' (1524)	36' (10973)	8" (203)		540 (245)	
	12' Arched Panel	Copy: 2' (610)	Total: 3'-7" (1092)	12' (3658)	8" (203)		125 (57)
	14' Arched Panel	Copy: 2' (610)	Total: 3'-7" (1092)	14' (4267)	8" (203)		140 (64)
	16' Arched Panel	Copy: 2' (610)	Total: 3'-7" (1092)	16' (4877)	8" (203)		150 (68)
	18' Arched Panel	Copy: 2' (610)	Total: 3'-7" (1092)	18' (5486)	8" (203)		170 (77)
	20' Arched Panel	Copy: 2' (610)	Total: 3'-7" (1092)	20' (6096)	8" (203)		185 (84)
25' Arched Panel	Copy: 2'-6" (762)	Total: 5' (1524)	25' (7620)	8" (203)		270 (122)	
32' Arched Panel	Copy: 3' (914)	Total: 5'-6" (1676)	32' (9754)	8" (203)		425 (193)	
36' Arched Panel	Copy: 3' (914)	Total: 5'-6" (1676)	36' (10973)	8" (203)		470 (213)	
Piping 	DA-1500		3" (76)	Up to 18' ²	3" (76)		
	DA-1501		1" (305)	Up to 18' ²	2" (51)		
	DA-1502		1" (305)	Up to 18' ²	2" (51)		
Diagonal Truss 							
Cross Truss 							

¹ Total width includes two truss pieces plus an 8' (2438) Sportsound cabinet. Weight is for two truss pieces.

² The indoor truss and piping are available in 1.25' (381), 2.25' (686), 3' (914), 4' (1219), 5' (1524), 6' (1829), 7' (2134), 8' (2438), 9' (2743), and 10' (3048) lengths. Combine lengths for different sizes.

CUSTOMER SERVICE

Visit daktronics.com/support or call toll-free 1-800-325-8766 for:

- › Resources to troubleshoot issues
- › Guides on maintenance and preventive care
- › Product manuals

Or log in to your My Support account at daktronics.com/mysupport to:

- › View an open service case
- › Check your order and shipping status
- › Exchange parts
- › Set up text or email notifications for service





DAKTRONICS.COM/SPORTS

DAKTRONICS.COM | 1-800-DAKTRONICS

Cover photo: Olathe Distric Activity Center Olathe, Kansas 336 x 600 15mm, FB-2021(split)

201 Daktronics Drive PO Box 5128 Brookings, SD 57006-5128

800-325-8766 605-692-0200 fax 605-697-4746

All Sport®, OmniSport®, PanaView®, ProPixel®, Sportsound®, Tuff Sport®, and Venus® are trademarks of Daktronics.

All other marks are trademarks of their respective owners. Product specifications subject to change without notice.

Copyright © 2022 Daktronics DD4557654 22 May 2022 Printed in the USA

